



~~Do Not Issue~~

J. H. Anderson

Annual Summary
of
BRITISH COLUMBIA CATCH STATISTICS
1971

DEPARTMENT OF THE ENVIRONMENT
FISHERIES SERVICE
PACIFIC REGION

ANNUAL SUMMARY
OF
BRITISH COLUMBIA CATCH STATISTICS

PAGE: 1

1971

TABLE OF CONTENTS

| | <u>PAGE</u> | | <u>PAGE</u> |
|--|-------------|--|-------------|
| Table of Contents and Foreword | 1 | Salmon Catch by Species in Areas of Highest Catch | 8 |
| District Summary of Catch Statistics | 2 | Total Salmon Landings by Species and Gear | 9 |
| Statistical Areas Map | 3 | Landings of Salmon - by Species and Gear, 1962-1971 (Thousands of Pounds) | 10 |
| Summary of Catch Statistics | 4&5 | Landings of Salmon - by Species and Area, 1962-1971 (Thousands of Fish) | 11&12 |
| Total Numbers of Salmon Caught - by Area | 6 | Total Catch of Fish and Shellfish by Species, Gear and Month in 1971 | 13-16 |
| Total Weight of Salmon Caught - by Area | 7 | | |

FOREWORD

This annual summary of British Columbia Catch Statistics follows the format originally used in 1969. It will be followed by a detailed Annual Report to be made available on written request.

Preliminary monthly reports are issued throughout the year which summarize landings and values by species, and show area of catch and gear for salmon catch. This Annual Summary includes revisions of these data and represents final statistics for 1971.

Weights shown may be dressed or round, and are indicated on table headings. Some totals may differ slightly due to rounding.

Monthly periods do not coincide with calendar months, but are held constant as four or five weekly periods for historical comparison. Four week periods are March, May, June, August, September, and November; five week: January, April, July and October.

Halibut landings include fish delivered to U.S. ports by Canadian fishermen under international agreement.

This report was compiled by the Market Intelligence Unit of the Industrial Service Branch, under the direction of J.A. D'Andrea and M. Hunter.

DEPARTMENT OF THE ENVIRONMENT,
FISHERIES SERVICE,
1090 W. PENDER STREET,
VANCOUVER 1, B.C.

W.R. Hourston,
Director of Fisheries,
Pacific Region.

D.D. Wilson,
Manager, Industrial Service Branch,
Fisheries Service,
Pacific Region.

FEBRUARY 7, 1972.

DISTRICT SUMMARY OF CATCH STATISTICS FOR B. C. - 1971

AS REPORTED ON SALES SLIPS



| S P E C I E S | NORTH COAST | SOUTH COAST | FRASER AREA | TOTAL | LANDED VALUE |
|-----------------------|---------------|---------------|---------------|----------------|---------------|
| | '000 lb. | '000 lb. | '000 lb. | '000 lb. | \$ '000 |
| Springs | 4 225 | 10 588 | 2 095 | 16 908 | 9 209 |
| Sockeye | 11 122 | 18 357 | 8 086 | 37 565 | 15 910 |
| Coho | 7 815 | 19 623 | 422 | 27 860 - | 10 630 - |
| Pinks | 8 652 - | 26 046 - | 3 225 - | 37 923 - | 6 528 - |
| Chums | 9 580 | 2 137 | 211 | 11 928 - | 2 150 |
| Steelhead | 143 | 22 | 12 | 177 | 55 |
| TOTAL SALMON | 41 537 | 76 773 | 14 051 | 132 361 | 44 476 |
| Herring | 17 655 | 4 447 | 4 | 22 106 - | 556 |
| Halibut | 23 379 | 765 | -- | 24 144 (1) - | 7 768 |
| Soles | 7 996 | 2 645 | 44 | 10 685 | 736 |
| Red & Rock Cod | 940 | 1 083 | 1 | 2 024 | 118 |
| Ling Cod | 949 | 3 388 | 5 | 4 342 | 649 |
| Grey Cod | 2 867 | 5 875 | 7 | 8 749 | 778 |
| Black Cod | 212 | 284 | -- | 496 | 110 |
| Non-Food Fish | 243 | 680 | 2 | 925 | 26 |
| Flounders | 214 | 79 | 1 | 294 | 13 |
| Skate | 57 | 84 | 4 | 145 | 5 |
| Eulachons | -- | * | 76 | 76 | 10 |
| Sturgeon | * | 7 | 27 | 34 | 10 |
| Ocean Perch | 1 999 | 956 | -- | 2 955 - | 148 |
| Tuna | 1 152 - | 2 859 - | -- | 4 011 | 1 080 |
| Octopus | 34 | 53 | -- | 87 | 19 |
| Smelt | -- | -- | 1 | 1 | * |
| Other Fish | 41 | 2 507 | 60 | 2 608 | 273 |
| Shrimp | 90 | 472 | 173 | 735 | 240 |
| Clams | 267 | 2 280 | -- | 2 547 | 235 |
| Abalone | -- | 14 | -- | 14 | 5 |
| Crabs | 844 | 366 | 753 | 1 963 | 426 |
| Oysters (U.S. Gal.) | -- | -- | -- | 84 356 (2) | 536 |
| TOTAL | | | | 227 629 | 58 217 |

+33,480

(1) A total of 9,942,518 pounds of halibut valued at \$2,923,967 landed by B.C. fishermen at U.S. ports is included above.

(2) Oyster total converted from gallons to pounds for inclusion in total.

NOTE: Halibut figures subject to revision.



1971 landings by B.C. Fishermen at Canadian and U.S. ports reached a total of 227.6 million pounds, valued at \$58.2 million.

B. G. Landings and Value - 1962 - 1971

| | Millions of pounds | \$ Million |
|------|--------------------|------------|
| 1962 | 686.9 | 49.9 |
| 1963 | 772.9 | 41.1 |
| 1964 | 712.3 | 49.2 |
| 1965 | 626.1 | 48.2 |
| 1966 | 574.7 | 61.5 |
| 1967 | 333.0 | 49.6 |
| 1968 | 268.8 | 57.4 |
| 1969 | 174.0 | 47.4 |
| 1970 | 238.5 | 60.3 |
| 1971 | 227.6 | 58.2 |

HALIBUT

Landings by B.C. Fishermen at Canadian and U.S. ports decreased to 24.14 million pounds in 1971. The average price paid to fishermen fell by 3.7¢ to 32.2¢ per pound in 1971, thus contributing to a reduction in the fishery's return in the year to \$7.8 million.

| Year | Landings in British Columbia | | Canadian Landings at U.S. Ports, re- ported by Halibut Commission | | Total Landings | |
|------|---------------------------------|----------|--|---------|-------------------|----------|
| | Mill. of lb. | \$ 000's | Mill. of lb. | \$000's | Mill. of lb. | \$ 000's |
| 1962 | 24.53 | 7 773 | 10.05 | 3 139 | 34.58 | 10 912 |
| 1963 | 25.93 | 5 721 | 11.34 | 2 528 | 37.27 | 8 249 |
| 1964 | 25.12 | 6 270 | 8.17 | 2 039 | 33.29 | 8 309 |
| 1965 | 25.78 | 8 699 | 7.19 | 2 413 | 32.97 | 11 112 |
| 1966 | 24.51 | 8 687 | 7.49 | 2 784 | 32.00 | 11 471 |
| 1967 | 19.67 | 5 068 | 6.55 | 1 563 | 26.22 | 6 631 |
| 1968 | 22.51 | 5 628 | 6.88 | 1 720 | 29.39 | 7 348 |
| 1969 | 27.20 | 11 578 | 6.64 | 2 822 | 33.84 | 14 400 |
| 1970 | 20.07 | 7 242 | 9.46 | 3 346 | 29.53 | 10 588 |
| 1971 | 14.80 | 4 844 | 9.34 | 2 924 | 24.14 | 7 768 |

HERRING

The herring fishery reopened for food purposes in late 1971. Total landings for the year stood at 22.1 million pounds valued at \$556,000.

OTHER FISH

Landings of other species reached a total of 37.4 million pounds, up considerably from 1970. Tuna landings were 4.0 million pounds worth a record \$1.1 million.

| Year | Sole | Grey God | Ling | Tuna | Total* |
|---------------|--------|----------|-------|-------|--------|
| (000's lb.) | | | | | |
| 1962 | 6 286 | 4 488 | 4 309 | 487 | 26 968 |
| 1963 | 5 686 | 6 755 | 3 238 | 32 | 22 769 |
| 1964 | 6 068 | 12 008 | 3 797 | 249 | 30 907 |
| 1965 | 6 408 | 19 223 | 4 412 | 348 | 39 957 |
| 1966 | 10 477 | 20 707 | 5 026 | 587 | 50 220 |
| 1967 | 9 056 | 11 179 | 4 984 | 971 | 37 117 |
| 1968 | 10 035 | 11 353 | 6 316 | 2 633 | 40 362 |
| 1969 | 10 477 | 7 573 | 4 960 | 3 203 | 39 445 |
| 1970 | 11 989 | 5 018 | 4 603 | 1 545 | 33 068 |
| 1971 | 10 685 | 8 749 | 4 342 | 4 011 | 37 446 |

* Total includes miscellaneous species not specifically shown.

SHELLFISH

Landings of all shellfish other than oysters fell from 1970 levels. The shrimp catch of 0.7 million pounds was the lowest since 1951. Oyster production was up slightly in 1971.

| Year | Crabs (000's lb.) | Shrimp (green weight) | Clams | Shucked Oysters (U. S. Gal.) |
|------|----------------------|--------------------------|-------|---------------------------------|
| 1962 | 2 771 | 1 663 | 3 952 | 101 165 |
| 1963 | 3 405 | 1 788 | 3 146 | 170 375 |
| 1964 | 4 351 | 1 052 | 1 575 | 153 449 |
| 1965 | 3 501 | 1 755 | 2 097 | 150 676 |
| 1966 | 4 538 | 1 682 | 2 472 | 165 551 |
| 1967 | 5 301 | 1 696 | 2 760 | 128 345 |
| 1968 | 4 372 | 1 568 | 1 501 | 96 480 |
| 1969 | 3 710 | 2 119 | 1 282 | 121 736 |
| 1970 | 2 548 | 1 538 | 2 313 | 79 698 |
| 1971 | 1 963 | 735 | 2 547 | 84 356 |

SALMON

Total landings reached 139.4 million pounds (round weight) valued at \$44.5 million.

Landings of Springs and Sockeye increased over 1970 figures, but Pinks and Chums declined markedly. Coho landings also declined slightly from 1970 figures.

1971
erratum
H

P I N K S

| | Quantity '000 lb. round | Pieces '000 | Average Size lb. | Landed Value \$'000 |
|------|-------------------------------|----------------|------------------------|---------------------------|
| 1962 | 93 592 | 23 429 - | 4.0 | 10 909 |
| 1963 | -60 577 | 12 202 | 5.0 | 6 073 |
| 1964 | 36 765 | 9 628 - | 3.8 | 4 063 |
| 1965 | 22 933 | 5 109 | 4.5 | 2 668 |
| 1966 | 73 469 | 17 261 - | 4.3 | 8 557 |
| 1967 | 51 643 | 9 818 | 5.3 | 6 640 |
| 1968 | 55 600 | 19 696 - | 2.8 | 6 996 |
| 1969 | -13 827 | 2 569 | 5.4 | 2 225 |
| 1970 | 52 960 | 13 600 - | 3.9 | 8 018 |
| 1971 | 97 999 | 8 454 | 4.5 | 6 528 |

38866

46

C H U M S

| | Quantity '000 lb. round | Pieces '000 | Average Size lb. | Landed Value \$'000 |
|------|-------------------------------|----------------|------------------------|---------------------------|
| 1962 | 18 054 | 1 496 | 12.1 | 2 196 |
| 1963 | 15 425 | 1 463 | 10.5 | 1 969 |
| 1964 | 23 932 | 2 259 | 10.6 | 3 061 |
| 1965 | 6 656 | 633 - | 10.5 | 824 |
| 1966 | 15 362 | 1 311 | 11.7 | 1 887 |
| 1967 | 12 142 | 1 127 | 10.8 | 1 611 |
| 1968 | 36 510 | 3 081 | 11.9 | 4 950 |
| 1969 | 13 397 | 1 309 | 10.2 | 2 803 |
| 1970 | 36 972 | 3 679 | 10.0 | 6 416 |
| 1971 | 11 928 | 1 262 | 9.5 | 2 150 |

11947

T O T A L S A L M O N *

| | Quantity '000 lb. round | Pieces '000 | Average Size lb. | Landed Value \$'000 |
|------|-------------------------------|----------------|------------------------|---------------------------|
| 1962 | 167 667 | 32 793 | 5.1 | 30 559 |
| 1963 | 123 668 | 19 991 | 6.2 | 22 790 |
| 1964 | 128 907 | 20 641 | 6.2 | 30 244 |
| 1965 | 95 294 | 14 192 | 6.7 | 25 958 |
| 1966 | 168 849 | 29 198 | 5.8 | 38 654 |
| 1967 | 138 985 | 22 145 | 6.3 | 36 001 |
| 1968 | 182 340 | 35 337 | 5.2 | 44 887 |
| 1969 | 83 347 | 11 668 | 7.1 | 27 810 |
| 1970 | 199 809 | 26 513 | 6.0 | 45 076 |
| 1971 | 192 361 | 22 414 | 5.9 | 44 476 |

139431

* Steelhead included in total.

6.2

S P R I N G S

| | Quantity '000 lb. round | Pieces '000 | Average Size lb. | Landed Value \$'000 |
|------|-------------------------------|----------------|------------------------|---------------------------|
| 1962 | 9 066 | 720 | 12.6 | 3 774 |
| 1963 | 10 165 | 803 | 12.7 | 4 020 |
| 1964 | 13 368 | 968 | 13.8 | 5 546 |
| 1965 | 12 669 | 981 | 12.9 | 5 306 |
| 1966 | 15 325 | 1 163 | 13.2 | 6 668 |
| 1967 | 15 355 | 1 130 | 13.6 | 6 681 |
| 1968 | 15 237 | 1 080 | 14.1 | 6 798 |
| 1969 | 14 224 | 1 098 | 13.0 | 7 041 |
| 1970 | 14 474 | 1 211 | 12.0 | 8 082 |
| 1971 | 16 988 | 1 591 | 12.6 | 9 203 |

19,185

12.1

S O C K E Y E

| | Quantity '000 lb. round | Pieces '000 | Average Size lb. | Landed Value \$'000 |
|------|-------------------------------|----------------|------------------------|---------------------------|
| 1962 | 20 105 | 3 499 | 5.7 | 6 723 |
| 1963 | 11 873 | 2 086 | 5.7 | 4 034 |
| 1964 | 22 951 | 3 619 | 6.3 | 8 257 |
| 1965 | 16 221 | 3 019 | 5.4 | 6 015 |
| 1966 | 25 705 | 4 020 | 6.4 | 9 528 |
| 1967 | 37 072 | 6 743 | 5.5 | 13 872 |
| 1968 | 41 390 | 6 264 | 6.6 | 15 630 |
| 1969 | 24 138 | 4 266 | 5.7 | 9 343 |
| 1970 | 25 186 | 4 077 | 6.2 | 9 960 |
| 1971 | 37 365 | 6 305 | 6.0 | 15 910 |

38203

6.1

C O H O

| | Quantity '000 lb. round | Pieces '000 | Average Size lb. | Landed Value \$'000 |
|------|-------------------------------|----------------|------------------------|---------------------------|
| 1962 | 26 610 | 3 626 | 7.3 | 6 900 |
| 1963 | 25 481 | 3 422 | 7.4 | 6 658 |
| 1964 | 31 656 | 4 149 | 7.6 | 9 255 |
| 1965 | 36 680 | 4 443 | 8.3 | 11 107 |
| 1966 | 38 681 | 5 412 | 7.1 | 11 929 |
| 1967 | 22 518 | 3 302 | 6.8 | 7 125 |
| 1968 | 33 381 | 5 256 | 6.4 | 10 448 |
| 1969 | 17 618 | 2 412 | 7.3 | 6 355 |
| 1970 | 30 091 | 3 935 | 7.6 | 12 563 |
| 1971 | 27 880 | 4 786 | 5.8 | 10 630 |

31060

6.5

TOTAL NUMBERS OF SALMON CAUGHT IN 1971 BY AREA

(Rounded to Nearest Thousand)

| AREA | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS | STEELHEAD | TOTAL |
|-----------------|---------|---------|---------|---------|---------|-----------|----------|
| NORTH COAST | | | | | | | |
| Alaska | 5.9 | -- | 2.9 | .7 | -- | -- | 9.5 |
| 1 | 72.4 | 56.9 | 233.6 | 99.6 | 37.0 | .6 | 500.1 |
| 2 AE | 7.1 | .6 | 34.4 | 1.4 | 49.8 | -- | 93.3 |
| 2 AW | 19.5 | 2.3 | 11.4 | .9 | 74.4 | -- | 108.5 |
| 2 BE | 26.3 | .1 | 94.0 | 2.6 | 253.3 | -- | 376.3 |
| 2 BW | .9 | -- | 1.7 | .7 | 7.8 | -- | 11.1 |
| 3 | 30.6 | 194.4 | 92.9 | 285.7 | 69.3 | 1.5 | 674.4 |
| 4 | 39.5 | 858.2 | 114.2 | 860.5 | 39.0 | 8.4 | 1 919.8 |
| 5 | 44.3 | 59.5 | 66.6 | 246.0 | 32.2 | .3 | 448.9 |
| 6 | 34.7 | 32.4 | 52.8 | 242.3 | 66.7 | -- | 428.9 |
| 7 | 36.5 | 28.4 | 178.8 | 286.4 | 294.6 | .1 | 824.8 |
| 8 | 17.8 | 167.9 | 114.0 | 41.2 | 60.8 | 2.2 | 403.9 |
| 9 | 12.2 | 402.5 | 33.7 | 25.6 | 16.7 | .3 | 491.0 |
| 10 | 4.0 | 143.6 | 11.2 | 3.6 | 8.7 | -- | 171.1 |
| 30 | 3.8 | 1.2 | 55.0 | 7.2 | -- | -- | 67.2 |
| T O T A L | 355.5 | 1 948.0 | 1 097.2 | 2 104.4 | 1 010.3 | 13.4 | 6 528.8 |
| SOUTH COAST | | | | | | | |
| C | 69.3 | 2.1 | 177.5 | 10.3 | -- | -- | 259.2 |
| 11 | 11.6 | 7.2 | 49.2 | 35.3 | 2.0 | -- | 105.3 |
| 12 | 42.7 | 511.9 | 253.7 | 2 636.6 | 74.7 | .9 | 3 520.5 |
| 13 | 47.3 | 127.8 | 82.0 | 851.3 | 19.7 | -- | 1 128.1 |
| 14 | 38.0 | .3 | 131.2 | .4 | -- | -- | 169.9 |
| 15 | 44.5 | .6 | 32.1 | .7 | -- | -- | 77.9 |
| 16 | 30.7 | 29.6 | 33.2 | 45.5 | 3 | -- | 139.3 |
| 17 | 122.3 | 90.9 | 32.1 | 53.8 | .8 | -- | 299.9 |
| 18 | 6.2 | 41.1 | 6.0 | 24.5 | .1 | -- | 77.9 |
| 20 | 58.3 | 1 574.1 | 604.8 | 1 100.6 | 24.4 | .2 | 3 362.4 |
| 21 | 63.8 | 8.3 | 153.9 | 58.4 | -- | -- | 284.4 |
| 23 | 422.8 | 111.4 | 840.4 | 250.2 | 25.7 | .7 | 1 651.2 |
| 24 | 68.2 | 179.3 | 525.2 | 256.2 | 3.4 | .1 | 1 032.4 |
| 25 | 16.8 | 137.6 | 186.3 | 171.2 | 65.6 | .1 | 577.6 |
| 26 | 26.7 | 87.0 | 211.9 | 68.4 | 7.9 | -- | 401.9 |
| 27 | 26.5 | 130.6 | 299.0 | 161.0 | 5.1 | .3 | 622.5 |
| T O T A L | 1 095.7 | 3 039.8 | 3 618.5 | 5 724.4 | 229.7 | 2.3 | 13 710.4 |
| FRASER AREA | | | | | | | |
| 29 A&B | 91.2 | 1 006.1 | 54.8 | 578.3 | 16.9 | .6 | 1 747.9 |
| 29 C | 3.6 | 52.8 | 4.0 | 13.6 | .8 | -- | 74.8 |
| 29 D | 45.3 | 257.9 | 11.5 | 33.6 | 3.8 | .4 | 352.5 |
| T O T A L | 140.1 | 1 316.8 | 70.3 | 625.5 | 21.5 | 1.0 | 2 175.2 |
| B. C. T O T A L | 1 591.3 | 6 304.6 | 4 786.0 | 8 454.3 | 1 261.5 | 16.7 | 22 414.4 |

TOTAL WEIGHT OF SALMON CAUGHT IN 1971 BY AREA
('000 lb.)
(LANDED WEIGHT)

| AREA | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS | STEELHEAD | TOTAL |
|-------------|---------|----------|---------|---------|---------|-----------|----------|
| NORTH COAST | | | | | | | |
| Alaska | 84.1 | * | 13.6 | 2.3 | .1 | --- | 100.1 |
| 1 AE | 912.1 | 360.8 | 1 680.9 | 419.9 | 349.3 | 5.5 | 3 722.5 |
| 2 AE | 84.5 | 4.3 | 250.6 | 8.2 | 419.1 | --- | 766.7 |
| 2 AW | 293.6 | 13.6 | 82.3 | 3.7 | 618.4 | --- | 1 011.6 |
| 2 BE | 392.9 | .7 | 689.0 | 12.6 | 2 189.6 | .1 | 3 278.9 |
| 2 BW | 19.9 | --- | 12.2 | 3.2 | 64.1 | --- | 93.4 |
| 3 | 355.3 | 1 139.9 | 734.5 | 1 126.4 | 752.3 | 15.1 | 4 117.5 |
| 4 | 397.5 | 5 119.5 | 881.7 | 3 699.8 | 431.6 | 89.7 | 10 553.8 |
| 5 | 480.3 | 347.5 | 452.4 | 980.9 | 328.4 | 3.5 | 2 593.0 |
| 6 | 281.7 | 180.1 | 401.5 | 966.5 | 707.0 | .5 | 2 537.3 |
| 7 | 498.2 | 147.9 | 1 135.7 | 1 146.0 | 2 697.7 | 1.4 | 5 626.9 |
| 8 | 247.9 | 789.4 | 812.6 | 173.6 | 730.4 | 22.8 | 2 770.7 |
| 9 | 86.9 | 2 139.9 | 267.8 | 121.4 | 206.6 | 3.5 | 2 822.1 |
| 10 | 36.7 | 892.6 | 71.2 | 18.5 | 96.1 | .3 | 1 115.4 |
| 30 | 59.5 | 7.8 | 329.3 | 29.2 | .8 | .1 | 426.7 |
| TOTAL | 4 225.1 | 11 122.0 | 7 815.3 | 8 652.2 | 9 579.5 | 142.5 | 41 536.6 |

SOUTH COAST

| | | | | | | | |
|-------|----------|----------|----------|----------|---------|------|----------|
| 0 | 720.1 | 11.2 | 895.8 | 40.0 | .3 | --- | 1 607.7 |
| 11 | 134.4 | 41.5 | 274.6 | 146.3 | 19.3 | .2 | 616.3 |
| 12 | 547.1 | 2 926.1 | 1 895.8 | 11 792.2 | 712.6 | 7.9 | 17 881.7 |
| 13 | 361.3 | 766.4 | 506.4 | 3 848.7 | 186.1 | .5 | 5 669.4 |
| 14 | 230.9 | 1.5 | 448.4 | 1.8 | --- | --- | 682.6 |
| 15 | 287.9 | 2.6 | 125.2 | 2.6 | .1 | .1 | 418.5 |
| 16 | 201.0 | 172.3 | 142.5 | 209.6 | 2.7 | .2 | 728.3 |
| 17 | 600.0 | 577.9 | 123.7 | 269.7 | 6.4 | .2 | 1 577.9 |
| 18 | 38.7 | 258.1 | 27.3 | 125.4 | 1.2 | .1 | 450.8 |
| 20 | 487.7 | 9 851.3 | 3 950.5 | 5 507.7 | 218.8 | 2.7 | 20 018.7 |
| 21 | 627.0 | 46.8 | 864.7 | 272.8 | .7 | .4 | 1 812.4 |
| 23 | 4 576.5 | 624.3 | 4 312.7 | 1 077.8 | 239.7 | 5.5 | 10 836.5 |
| 24 | 837.1 | 1 027.5 | 2 519.4 | 1 074.3 | 28.5 | .7 | 5 487.5 |
| 25 | 211.6 | 782.9 | 973.5 | 721.0 | 601.7 | .6 | 3 291.3 |
| 26 | 395.0 | 515.5 | 1 036.7 | 287.7 | 70.9 | .2 | 2 306.0 |
| 27 | 331.4 | 750.6 | 1 585.4 | 668.8 | 48.0 | 2.5 | 3 386.7 |
| TOTAL | 10 587.7 | 18 356.5 | 19 622.6 | 26 046.4 | 2 137.0 | 22.1 | 76 772.3 |


FRASER AREA

| | | | | | | | |
|--------|---------|---------|-------|---------|-------|-----|----------|
| 29 A&B | 1 257.3 | 6 270.0 | 325.6 | 2 977.9 | 163.7 | 6.8 | 11 001.3 |
| 29 C | 36.7 | 334.0 | 23.6 | 69.1 | 8.1 | .3 | 471.8 |
| 29 D | 801.1 | 1 482.5 | 73.0 | 178.2 | 39.1 | 5.1 | 2 579.0 |

| | | | | | | | |
|-------------|----------|----------|----------|----------|----------|-------|-----------|
| TOTAL | 2 095.1 | 8 086.5 | 422.2 | 3 225.2 | 210.9 | 12.2 | 14 052.1 |
| B. C. TOTAL | 16 907.9 | 37 565.0 | 27 860.1 | 37 923.8 | 11 927.4 | 176.8 | 132 361.0 |

CHART - TOTAL SALMON LANDINGS BY SPECIES IN THE TEN HIGHEST-PRODUCING AREAS OF BRITISH COLUMBIA - 1971


Scale: 1" = 2 million pounds



TOTAL SALMON LANDINGS BY SPECIES AND GEAR - PERCENTAGES - 1971

MILLIONS OF POUNDS - ROUND WEIGHT

| SPECIES | Gillnet | | Seine | | Troll | | Total Million Pounds |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------------|
| | Quantity | % | Quantity | % | Quantity | % | |
| Springs | 3.09 | 15.79 | 0.94 | 4.90 | 15.21 | 79.31 | 19.18 |
| Sockeye | 22.13 | 57.93 | 11.81 | 30.92 | 4.26 | 11.15 | 38.20 |
| Coho | 5.48 | 17.64 | 4.20 | 13.52 | 21.38 | 68.84 | 31.06 |
| Pinks | 9.94 | 25.58 | 22.62 | 58.21 | 6.30 | 16.21 | 38.86 |
| Chums | 8.06 | 67.45 | 3.76 | 31.46 | 0.13 | 1.09 | 11.95 |
| Steelhead | .16 | 92.25 | .01 | 3.87 | .01 | 3.88 | 0.18 |
| TOTAL | <u>48.80</u> | <u>35.00</u> | <u>43.34</u> | <u>31.08</u> | <u>47.29</u> | <u>33.92</u> | <u>139.43</u> |



LANDINGS OF SALMON - BY SPECIES AND GEAR
1962-1971

G I L L N E T

| | <u>Springs</u> | <u>Sockeye</u> | <u>'000 Pounds (Round)</u> | | | <u>Total</u> | <u>Value</u> \$ 000 | <u>Deliveries</u> ' 000 | <u>Catch Per Delivery</u> lb. | <u>Value Per Delivery</u> \$ |
|------|----------------|----------------|----------------------------|--------------|--------------|--------------|------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | | | <u>Coho</u> | <u>Pinks</u> | <u>Chums</u> | | | | | |
| 1962 | 2 788 | 17 330 | 6 665 | 29 963 | 10 277 | 67 240 | 13 290 | 151 | 445 | 88 |
| 1963 | 2 852 | 9 442 | 5 945 | 17 653 | 9 729 | 45 754 | 8 855 | 121 | 378 | 73 |
| 1964 | 4 374 | 20 113 | 7 787 | 13 360 | 11 359 | 57 214 | 13 882 | 137 | 418 | 101 |
| 1965 | 2 984 | 14 438 | 9 024 | 7 100 | 3 761 | 37 424 | 10 173 | 110 | 340 | 93 |
| 1966 | 3 172 | 18 500 | 10 050 | 24 390 | 8 526 | 64 928 | 14 716 | 122 | 532 | 121 |
| 1967 | 3 936 | 24 239 | 5 554 | 10 444 | 7 598 | 52 002 | 14 648 | 126 | 413 | 116 |
| 1968 | 3 533 | 32 696 | 7 706 | 8 383 | 21 450 | 73 973 | 20 254 | 137 | 540 | 148 |
| 1969 | 2 592 | 19 096 | 3 546 | 5 169 | 8 706 | 39 241 | 12 186 | 98 | 400 | 124 |
| 1970 | 3 296 | 15 303 | 8 078 | 17 862 | 23 370 | 68 025 | 16 780 | 130 | 523 | 129 |
| 1971 | 3 030 | 22 129 | 5 479 | 9 936 | 8 060 | 48 797 | 15 143 | 106 | 460 | 143 |

S E I N E

| | <u>Springs</u> | <u>Sockeye</u> | <u>'000 Pounds (Round)</u> | | | <u>Total</u> | <u>Value</u> \$ 000 | <u>Deliveries</u> ' 000 | <u>Catch Per Delivery</u> lb. | <u>Value Per Delivery</u> \$ |
|------|----------------|----------------|----------------------------|--------------|--------------|--------------|------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | | | <u>Coho</u> | <u>Pinks</u> | <u>Chums</u> | | | | | |
| 1962 | 400 | 2 590 | 3 518 | 61 110 | 7 726 | 75 363 | 9 804 | 15 | 5 024 | 654 |
| 1963 | 472 | 2 294 | 3 472 | 37 072 | 5 613 | 48 931 | 6 112 | 12 | 4 078 | 509 |
| 1964 | 495 | 2 649 | 3 418 | 21 283 | 12 450 | 40 306 | 5 967 | 12 | 3 359 | 497 |
| 1965 | 928 | 1 663 | 4 174 | 14 250 | 2 813 | 23 841 | 4 075 | 11 | 2 167 | 370 |
| 1966 | 753 | 6 859 | 4 292 | 45 247 | 6 787 | 63 949 | 10 084 | 13 | 4 919 | 776 |
| 1967 | 979 | 11 110 | 2 834 | 28 811 | 4 502 | 48 252 | 9 442 | 13 | 3 712 | 726 |
| 1968 | 866 | 7 471 | 3 100 | 42 061 | 14 964 | 68 470 | 11 008 | 15 | 4 565 | 734 |
| 1969 | 806 | 3 964 | 1 356 | 4 600 | 4 633 | 15 364 | 3 885 | 9 | 1 707 | 432 |
| 1970 | 1 250 | 7 234 | 4 687 | 29 784 | 13 253 | 56 213 | 11 492 | 16 | 3 513 | 718 |
| 1971 | 942 | 11 811 | 4 198 | 22 629 | 3 756 | 43 342 | 10 843 | 11 | 3 940 | 986 |

T R O L L

| | <u>Springs</u> | <u>Sockeye</u> | <u>'000 Pounds (Round)</u> | | | <u>Total</u> | <u>Value</u> \$ 000 | <u>Days Fishing</u> ' 000 | <u>Catch Per Day</u> lb. | <u>Value Per Day</u> \$ |
|------|----------------|----------------|----------------------------|--------------|--------------|--------------|------------------------|----------------------------------|---------------------------------|--------------------------------|
| | | | <u>Coho</u> | <u>Pinks</u> | <u>Chums</u> | | | | | |
| 1962 | 5 878 | 185 | 16 427 | 2 519 | 51 | 25 065 | 7 465 | 134 | 187 | 56 |
| 1963 | 6 841 | 137 | 16 064 | 5 852 | 84 | 28 983 | 7 823 | 131 | 221 | 60 |
| 1964 | 8 499 | 189 | 20 451 | 2 122 | 122 | 31 387 | 10 395 | 147 | 214 | 71 |
| 1965 | 8 757 | 120 | 23 482 | 1 583 | 83 | 34 029 | 11 710 | 142 | 240 | 82 |
| 1966 | 11 400 | 346 | 24 339 | 3 832 | 49 | 39 972 | 13 854 | 148 | 270 | 94 |
| 1967 | 10 441 | 1 723 | 14 130 | 12 388 | 42 | 38 731 | 11 911 | 148 | 262 | 80 |
| 1968 | 10 838 | 1 223 | 22 575 | 5 156 | 96 | 39 897 | 13 625 | 155 | 257 | 88 |
| 1969 | 10 826 | 1 078 | 12 716 | 4 058 | 58 | 28 742 | 11 729 | 139 | 201 | 85 |
| 1970 | 9 928 | 2 649 | 17 326 | 5 314 | 349 | 35 571 | 16 804 | 155 | 229 | 108 |
| 1971 | 15 213 | 4 263 | 21 383 | 6 301 | 131 | 47 292 | 18 490 | 156 | 303 | 119 |

NOTE: Totals include steelhead.

LANDINGS OF SALMON BY SPECIES AND AREA
 -----1962-1971-----

QUEEN CHARLOTTE ISLANDS - (AREAS 1, 2AW, 2AE, 2BW, 2BE)

(Thousands of Fish)

| YEAR | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS |
|------|---------|---------|------|-------|-------|
| 1962 | 29 | 24 | 445 | 1 073 | 111 |
| 1963 | 32 | 9 | 433 | 78 | 145 |
| 1964 | 64 | 13 | 533 | 348 | 797 |
| 1965 | 62 | 28 | 337 | 80 | 180 |
| 1966 | 85 | 19 | 525 | 1 843 | 211 |
| 1967 | 75 | 35 | 320 | 115 | 457 |
| 1968 | 74 | 53 | 530 | 1 684 | 661 |
| 1969 | 99 | 47 | 322 | 78 | 141 |
| 1970 | 109 | 60 | 417 | 1 259 | 590 |
| 1971 | 126 | 60 | 375 | 105 | 422 |

NASS, SKEENA, GRENVILLE & PRINCIPE - (AREAS 3, 4, 5)

(Thousands of Fish)

| YEAR | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS |
|------|---------|---------|------|-------|-------|
| 1962 | 88 | 820 | 449 | 3 312 | 142 |
| 1963 | 77 | 273 | 385 | 1 405 | 119 |
| 1964 | 115 | 1 084 | 547 | 2 978 | 246 |
| 1965 | 111 | 565 | 454 | 1 177 | 103 |
| 1966 | 116 | 890 | 811 | 4 448 | 251 |
| 1967 | 145 | 1 543 | 219 | 995 | 167 |
| 1968 | 149 | 1 114 | 740 | 3 059 | 416 |
| 1969 | 115 | 786 | 177 | 721 | 107 |
| 1970 | 94 | 801 | 307 | 3 127 | 299 |
| 1971 | 114 | 1 112 | 274 | 1 392 | 141 |

BUTEDALE, BELLA BELLA, BELLA COOLA - (AREAS 6, 7, 8)

(Thousands of Fish)

| YEAR | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS |
|------|---------|---------|------|--------|-------|
| 1962 | 66 | 277 | 497 | 17 381 | 791 |
| 1963 | 82 | 239 | 552 | 3 967 | 695 |
| 1964 | 96 | 472 | 616 | 5 151 | 865 |
| 1965 | 100 | 190 | 515 | 2 465 | 270 |
| 1966 | 90 | 208 | 519 | 7 031 | 735 |
| 1967 | 81 | 328 | 172 | 219 | 247 |
| 1968 | 82 | 308 | 600 | 9 706 | 1 009 |
| 1969 | 67 | 87 | 161 | 100 | 353 |
| 1970 | 107 | 253 | 537 | 6 195 | 1 440 |
| 1971 | 89 | 229 | 346 | 570 | 422 |

RIVERS AND SMITH IMLETS - (AREAS 9, 10)

(Thousands of Fish)

| YEAR | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS |
|------|---------|---------|------|-------|-------|
| 1962 | 11 | 1 288 | 61 | 803 | 44 |
| 1963 | 10 | 613 | 41 | 42 | 47 |
| 1964 | 15 | 1 305 | 80 | 271 | 69 |
| 1965 | 30 | 935 | 269 | 59 | 19 |
| 1966 | 20 | 701 | 169 | 330 | 25 |
| 1967 | 39 | 1 404 | 289 | 207 | 36 |
| 1968 | 26 | 3 187 | 184 | 1 261 | 91 |
| 1969 | 21 | 903 | 71 | 30 | 65 |
| 1970 | 15 | 102 | 72 | 263 | 155 |
| 1971 | 16 | 546 | 45 | 29 | 25 |

LANDINGS OF SALMON BY SPECIES AND AREA
1962-1971 - Continued

JOHNSTONE STRAIT - (AREAS 12, 13)

(Thousands of Fish)

| YEAR | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS |
|------|---------|---------|-------|-------|-------|
| 1962 | 55 | 163 | 968 | 751 | 134 |
| 1963 | 65 | 238 | 383 | 1 949 | 289 |
| 1964 | 64 | 168 | 497 | 854 | 126 |
| 1965 | 68 | 170 | 509 | 674 | 23 |
| 1966 | 111 | 742 | 1 093 | 3 439 | 46 |
| 1967 | 113 | 1 350 | 483 | 3 501 | 148 |
| 1968 | 97 | 459 | 627 | 3 696 | 649 |
| 1969 | 96 | 529 | 221 | 464 | 485 |
| 1970 | 90 | 1 054 | 348 | 2 341 | 753 |
| 1971 | 90 | 640 | 336 | 3 488 | 94 |

JUAN DE FUCA STRAIT - (AREA 20)

(Thousands of Fish)

| YEAR | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS |
|------|---------|---------|------|-------|-------|
| 1962 | 22 | 288 | 409 | 1 | 14 |
| 1963 | 24 | 144 | 356 | 3 356 | 20 |
| 1964 | 21 | 34 | 316 | 1 | 37 |
| 1965 | 29 | 170 | 460 | 414 | 24 |
| 1966 | 29 | 697 | 572 | 6 | 27 |
| 1967 | 21 | 857 | 463 | 2 668 | 21 |
| 1968 | 22 | 57 | 401 | 1 | 27 |
| 1969 | 40 | 636 | 267 | 419 | 18 |
| 1970 | 115 | 845 | 481 | 10 | 26 |
| 1971 | 58 | 1 574 | 605 | 1 101 | 24 |

WEST COAST OF VANCOUVER ISLAND - (AREAS 0, 21, 23, 24, 25, 26, 27)

(Thousands of Fish)

| YEAR | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS |
|------|---------|---------|-------|-------|-------|
| 1962 | 235 | 76 | 1 080 | 100 | 127 |
| 1963 | 281 | 43 | 1 088 | 590 | 80 |
| 1964 | 345 | 62 | 1 219 | 18 | 47 |
| 1965 | 406 | 81 | 1 717 | 116 | 1 |
| 1966 | 526 | 120 | 1 459 | 153 | 2 |
| 1967 | 413 | 292 | 1 195 | 1 468 | 1 |
| 1968 | 433 | 187 | 1 966 | 205 | 4 |
| 1969 | 469 | 236 | 1 109 | 485 | 6 |
| 1970 | 411 | 348 | 1 393 | 312 | 137 |
| 1971 | 694 | 656 | 2 394 | 976 | 108 |

FRASER RIVER - (AREAS 28, 29 A & B, 29C, 29D)

(Thousands of Fish)

| YEAR | SPRINGS | SOCKEYE | COHO | PINKS | CHUMS |
|------|---------|---------|------|-------|-------|
| 1962 | 115 | 538 | 68 | -- | 48 |
| 1963 | 118 | 498 | 36 | 583 | 54 |
| 1964 | 167 | 465 | 134 | -- | 61 |
| 1965 | 93 | 866 | 43 | 110 | 12 |
| 1966 | 99 | 629 | 37 | -- | 14 |
| 1967 | 124 | 878 | 34 | 533 | 47 |
| 1968 | 105 | 831 | 82 | -- | 202 |
| 1969 | 87 | 957 | 23 | 255 | 89 |
| 1970 | 133 | 574 | 99 | 1 | 179 |
| 1971 | 140 | 1 317 | 70 | 626 | 22 |

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1971

(Gillnet and Seine - Round Weight

Troll - Dressed Head-On)

SALMON

TOTAL B.C.

| | | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE | JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---------------|-------------|---------------------|---------------------|---------------------|-------------------|------------------|--------------------|---------------------|--------------------|----------------------|----------------------|---------------------|---------------------|---------|
| | | Dec. 27- Jan. 30 | Jan. 31- Feb. 27 | Feb. 28- Mar. 27 | Mar. 28- May 1 | May 2- May 29 | May 30- June 26 | June 27- July 31 | Aug. 1- Aug. 28 | Aug. 29- Sept. 25 | Sept. 26- Oct. 30 | Oct. 31- Nov. 27 | Nov. 28- Dec. 25 | |
| | | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. |
| Spring Salmon | Red G.N. | | | 34 | 309 | 1 465 | 5 490 | 4 798 | 5 472 | 2 353 | 226 | | | 20 147 |
| | Seine | | | | | | 431 | 1 808 | 2 540 | 1 090 | 52 | | | 5 921 |
| | Jack G.N. | | | | * | 6 | 53 | 653 | 442 | 448 | 85 | | | 1 687 |
| | Seine | | | | | | 155 | 1 271 | 909 | 287 | 67 | | | 2 689 |
| | White G.N. | | | 11 | 29 | 122 | 640 | 1 466 | 1 222 | 3 835 | 1 136 | | * | 8 461 |
| | Seine | | | | | | 9 | 564 | 135 | 99 | 3 | | | 810 |
| | Mixed Troll | | 109 | 219 | 6 395 | 20 028 | 34 103 | 44 226 | 16 283 | 6 787 | 1 125 | 56 | 34 | |
| Sockeye | G.N. | | | | | 16 | 2 129 | 99 664 | 86 731 | 30 359 | 2 386 | | | 221 285 |
| | Seine | | | | | | 212 | 18 084 | 74 332 | 25 466 | 14 | | | 118 108 |
| | Troll | | | | | * | 48 | 4 451 | 30 462 | 1 272 | 20 | | | 36 253 |
| Coho | G.N. | | | | | | 478 | 4 661 | 16 263 | 26 837 | 6 533 | 19 | 2 | 54 793 |
| | Seine | | | | | | 197 | 1 355 | 11 116 | 26 655 | 2 655 | | | 41 978 |
| | Troll | | | | | | 24 789 | 66 714 | 55 979 | 31 972 | 2 373 | | | 181 827 |
| Pike | G.N. | | | | | * | 10 | 5 771 | 45 340 | 39 429 | 8 811 | | | 99 361 |
| | Seine | | | | | | * | 2 315 | 74 972 | 148 723 | 279 | | | 226 289 |
| | Troll | | | | | * | 692 | 6 951 | 27 250 | 18 596 | 95 | | | 53 584 |
| Chum | G.N. | | | | | 2 | 833 | 8 847 | 19 586 | 29 097 | 21 952 | 181 | 105 | 80 603 |
| | Seine | | | | | | 1 | 3 371 | 4 373 | 13 646 | 16 164 | | | 37 555 |
| | Troll | | | | | * | 24 | 122 | 722 | 156 | 95 | | | 1 119 |
| Steelhead | G.N. | | | 6 | 22 | 14 | 76 | 486 | 700 | 281 | 42 | 2 | 2 | 1 631 |
| | Seine | | | | | | 1 | 24 | 25 | 12 | 1 | | | 63 |
| | Troll | | | | | 1 | 6 | 22 | 34 | 11 | * | | | 74 |
| Days Fishing | G.N. | | | 127 | 911 | 2 776 | 8 206 | 27 279 | 29 535 | 27 544 | 9 263 | 26 | 17 | 105 684 |
| | Seine | | | | | | 276 | 2 432 | 3 681 | 4 040 | 776 | | | 11 205 |
| | Troll | | 252 | 391 | 6 504 | 19 086 | 30 427 | 43 048 | 32 266 | 20 599 | 3 260 | 155 | 59 | 156 047 |

* less than .5 cwt.

TOTAL B.C.

OTHER FISH

| | | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE | JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|----------------|----------------|---------------------|---------------------|---------------------|-------------------|------------------|--------------------|---------------------|--------------------|----------------------|----------------------|---------------------|---------------------|----------------|
| | | Dec. 27- Jan. 30 | Jan. 31- Feb. 27 | Feb. 28- Mar. 27 | Mar. 28- May 1 | May 2- May 29 | May 30- June 26 | June 27- July 31 | Aug. 1- Aug. 28 | Aug. 29- Sept. 25 | Sept. 26- Oct. 30 | Oct. 31- Nov. 27 | Nov. 28- Dec. 25 | |
| | | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. |
| Herring | G.N. | 250 | 692 | 41 | 12 | 23 | 9 | | | | | | | 1 027 |
| | Seine | 1 265 | 18 989 | 61 882 | 103 995 | 4 231 | 4 548 | 2 338 | 45 | 32 | 71 | 5 319 | 17 004 | 219 719 |
| | Trawl | | 39 | | 43 | | | | | | | | | 82 |
| | Other | | | | | | | | | | | | | |
| Halibut | Lge. L.L. | | | 10 | 1 580 | 12 208 | 13 567 | 18 543 | 12 020 | 10 361 | 9 314 | 4 021 | | 81 624 |
| | Med. L.L. | | | 14 | 4 273 | 25 856 | 29 677 | 27 839 | 16 593 | 11 583 | 9 725 | 3 440 | | 129 000 |
| | Chix L.L. | | | | 142 | 2 400 | 4 317 | 2 364 | 1 501 | 898 | 592 | 53 | | 12 207 |
| | No. 2 L.L. | | | 4 | 282 | 1 204 | 1 481 | 1 657 | 1 448 | 912 | 633 | 846 | | 8 467 |
| | Mixed H1&T. | OT* | OT* | | OT* | OT1 968 | OT1 3 305 | OT5 4 582 | OT6 1 055 | 186 | 36 | 5 | | OT13 10 137 |
| Sole | Brill Trawl | 19 | 186 | 73 | 164 | 219 | 1 189 | 4 163 | 2 578 | 582 | 1 377 | 353 | 10 | 10 913 |
| | Butter Trawl | | 632 | 3 040 | 463 | | | | | | | | | 4 195 |
| | Dover Trawl | | 545 | 1 011 | 1 716 | 2 621 | 1 380 | 8 460 | 5 600 | 1 516 | 1 748 | 376 | 15 | 24 988 |
| | Lemon Trawl | 848 | 2 269 | 633 | 1 424 | 2 661 | 181 | 1 034 | 728 | 436 | 916 | 928 | 483 | 12 541 |
| | Rex Trawl | | 8 | 2 | 39 | 34 | 300 | 1 484 | 781 | 489 | 861 | 208 | 50 | 4 256 |
| | Rock Trawl | 1 286 | 1 612 | 1 579 | 2 681 | 8 794 | 14 000 | 9 004 | 3 178 | 3 813 | 2 906 | 410 | 237 | 49 500 |
| | Mixed Trawl | 18 | 5 | 27 | 34 | 44 | 35 | 18 | | 151 | 126 | 10 | 3 | 471 |
| | Total Trawl | 2 171 | 5 257 | 6 365 | 6 521 | 14 373 | 17 085 | 24 163 | 12 865 | 6 987 | 7 934 | 2 285 | 798 | 106 804 |
| Red & Rock Cod | H1&T. | 16 | 94 | 87 | 145 | 274 | 241 | 209 | 164 | 99 | 314 | 67 | 3 | 1 713 |
| | L.L. | 3 | 16 | 17 | 66 | 276 | 271 | 264 | 184 | 78 | 112 | 108 | 13 | 1 408 |
| | Trawl | 95 | 456 | 833 | 1 980 | 2 480 | 2 951 | 4 539 | 2 182 | 221 | 665 | 582 | 129 | 17 113 |
| | Beach Seine | | | | | | | | | | 1 | * | | 1 |
| Ling Cod | H1&T. | 72 | 523 | 1 500 | 2 553 | 2 435 | 2 286 | 2 602 | 890 | 798 | 2 033 | 739 | 128 | 16 559 |
| | L.L. | 1 | 133 | 144 | 173 | 410 | 398 | 278 | 182 | 144 | 164 | 38 | 40 | 2 105 |
| | Trawl | 60 | 433 | 202 | 603 | 1 661 | 5 695 | 11 558 | 3 005 | 413 | 707 | 350 | 50 | 24 737 |
| | Other | | | | | | | | | | 6 | BS1 2 | | BS1 8 |
| Grey Cod | L.L. | | | | | 3 | 3 | * | * | | | | | 6 |
| | Trawl | 3 369 | 11 918 | 10 592 | 9 393 | 11 511 | 12 991 | 12 311 | 5 713 | 1 424 | 4 726 | 2 516 | 986 | 87 450 |
| | Troll | | | * | * | 2 | 4 | 10 | 3 | * | 15 | | | 34 |
| Black Cod | HL, Other L.L. | 6 | 3 | 3 | 178 | 302 | 413 | 331 | 218 | 83 | 53 | 170 | 265 | 2 025 |
| | Trawl | 1 | 198 | 117 | 160 | 340 | 86 | 280 | 435 | 357 | 851 | 109 | 1 | 2 929 |
| Non-Food Fish | Trawl | 610 | 753 | 821 | TR1 288 | LL3 541 | TR1 1 155 | 535 | 1 370 | 1 136 | 1 966 | 56 | | TR2/LL3/ 9 231 |
| Flounders | Trawl | 147 | 169 | 402 | 76 | 474 | 602 | 308 | 135 | 171 | 257 | 44 | BS1 150 | BS1 2 935 |
| Skate | Trawl | 64 | 177 | 109 | 274 | 310 | 85 | 78 | 73 | 57 | 80 | 76 | 67 | 1 450 |

* Less than 500.

OTHER FISH

TOTAL B.C.

| | | <u>JANUARY</u> | <u>FEBRUARY</u> | <u>MARCH</u> | <u>APRIL</u> | <u>MAY</u> | <u>JUNE</u> | <u>JULY</u> | <u>AUGUST</u> | <u>SEPTEMBER</u> | <u>OCTOBER</u> | <u>NOVEMBER</u> | <u>DECEMBER</u> | <u>TOTAL</u> |
|-----------------------|--------------------|---------------------|---------------------|---------------------|-------------------|------------------|--------------------|---------------------|--------------------|----------------------|----------------------|---------------------|---------------------|--------------|
| | | Dec. 27- Jan. 30 | Jan. 31- Feb. 27 | Feb. 28- Mar. 27 | Mar. 28- May 1 | May 2- May 29 | May 30- June 26 | June 27- July 31 | Aug. 1- Aug. 28 | Aug. 29- Sept. 25 | Sept. 26- Oct. 30 | Oct. 31- Nov. 27 | Nov. 28- Dec. 25 | |
| | | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. |
| Eulachons | G.N. | | | | 387 | 374 | | | | | OT 2 | OT * | | OT 2/ 761 |
| Sturgeon | G.N. | | | 1 | 48 | 49 | 61 | 50 | 40 | 22 | 9 | | | 274 |
| | Trawl | 1 | 3 | 3 | 14 | 9 | 11 | 11 | * | | * | 6 | 1 | 59 |
| | Other | | | | | | | | | | | | | |
| Ocean Perch | Trawl | | 1 197 | 854 | 992 | 3 238 | 8 498 | 10 798 | 1 672 | * | 1 237 | 1 119 | | 29 545 |
| Perch | H.L. | | | 13 | 71 | 35 | | | | 17 | 20 | 3 | | 159 |
| | Trawl | 5 | 2 | 1 | LL 3/ 1 | LL 4/ 7 | 12 | 5 | * | 3 | 3 | 19 | 32 | LL 7/ 90 |
| | Beach Seine | | | 53 | 149 | 73 | | | | | 14 | 30 | 20 | 339 |
| Tuna | Seine | | | | | | | 4 714 | | | 394 | 85 | | 5 193 |
| | H.L. | | | | | | | 695 | 11 739 | 16 756 | 5 552 | 175 | | 34 917 |
| Octopus | H.L. | 16 | 3 | 7 | 7 | LL 5/ 3 | LL 7/ 4 | LL 10/ 6 | LL 1/ 1 | LL 2/ 2 | 3 | 4 | | LL 25/ 56 |
| | Trap | 25 | 107 | 7 | | | 4 | 16 | 18 | 2 | 103 | 14 | 12 | 308 |
| | TRAWL & Other | 13 | 30 | 55 | 73 | 81 | 63 | 23 | 14 | 13 | 80 | 18 | 20 | 483 |
| Smelt | G.N. | | | | | | 2 | | 3 | | | | | 5 |
| GRAYFISH | Trawl | | | | | 592 | | | | 415 | LL 270/ 1179 | | | LL 270/ 2186 |
| | G. N. | | | HL 5 | | | | | | HL 9/ 100 | 260 | | | HL 14/ 360 |
| Other Fish | G.N. | | | | | | | | | | | | | |
| | Seine | | | | | | | | 60 | | | | | 60 |
| | HI&T. | | | 2 | 5 | 2 | 1 | * | * | 6 | | | | 16 |
| | L.L. | | | | | | | | | | | | | |
| | Trawl | * | 13 | 18 | * | 82 | 24 | 335 | 324 | * | * | 20 | 11 | 827 |
| OTHER | 2 010 | 1 945 | 1 873 | 2 826 | 3 442 | 1 258 | 494 | 364 | 364 | 1 978 | 2 695 | 2 501 | 21 750 | |
| Days Fishing | G.N. | | | | 85 | 59 | | | | 1 | 4 | | | 149 |
| | Seine | | | | | | | 36 | 10 | | 16 | 15 | | 77 |
| | HI&T. | 23 | 97 | 446 | 767 | 954 | 714 | 460 | 926 | 1 103 | 1 267 | 424 | 42 | 7 223 |
| | L.L. | 2 | 24 | 43 | 204 | 2 557 | 3 195 | 2 011 | 1 141 | 766 | 701 | 330 | 22 | 10 996 |
| | Trawl | 269 | 458 | 455 | 485 | 515 | 532 | 595 | 283 | 163 | 330 | 204 | 97 | 4 386 |
| | Beach Seine | | | 7 | 30 | 8 | | | | | 2 | 31 | 28 | 106 |
| | Trap | 10 | 27 | 3 | 1 | | 2 | 9 | 6 | 1 | 27 | 2 | 17 | 105 |
| | Herring & Smelt GN | 17 | 36 OT 1 | | OT 1 2 | 8 | 25 | | 1 | | | | | OT 2 92 |
| Herring & Smelt Seine | | 30 | 96 | 164 | 167 | 70 | 106 | 54 | 15 | 10 | 20 | 5 | 78 | 815 |
| | Other | | | 11 | 5 | 1 | | | | | 14 | 1 | | 32 |

* Less than 500.

TOTAL B.C.

SHELLFISH

| | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE | JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL | |
|----------------------|---------------------|---------------------|---------------------|-------------------|------------------|--------------------|---------------------|--------------------|----------------------|----------------------|---------------------|---------------------|--------|--------|
| | Dec. 27- Jan. 30 | Jan. 31- Feb. 27 | Feb. 28- Mar. 27 | Mar. 28- May 1 | May 2- May 29 | May 30- June 26 | June 27- July 31 | Aug. 1- Aug. 28 | Aug. 29- Sept. 25 | Sept. 26- Oct. 30 | Oct. 31- Nov. 27 | Nov. 28- Dec. 25 | | |
| | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | cwt. | |
| SHRIMP | | | | | | | | | | | | | | |
| Prawns | Trawl | -- | 21 | * | 1 | 4 | * | 55 | 1 | 1 | 6 | 11 | 36 | 136 |
| | Traps | 123 | 312 | 210 | 169 | 51 | 20 | 22 | 25 | 11 | 84 | 247 | 289 | 1 563 |
| Mixed | Trawl | 17 | 640 | 441 | 649 | 612 | 917 | 333 | 258 | 222 | 559 | 454 | 204 | 5 306 |
| | Traps | 23 | 30 | 6 | 1 | -- | 6 | -- | 3 | 17 | 52 | 113 | 95 | 346 |
| SHRIMP | Trawl | 20 | 341 | 253 | 371 | 291 | 409 | 248 | 201 | 178 | 308 | 331 | 118 | 3 069 |
| DAYS | Traps | 57 | 121 | 121 | 65 | 56 | 32 | 59 | 56 | 40 | 92 | 166 | 213 | 1 078 |
| GLANS | | | | | | | | | | | | | | |
| | Razor | -- | 4 | 69 | 259 | 829 | 82 | 46 | -- | -- | 18 | 35 | 18 | 1 360 |
| | Butter | 1 721 | 2 739 | 3 331 | 2 275 | 137 | -- | 63 | -- | -- | 24 | 644 | 1 597 | 12 531 |
| | Japanese Littleneck | 44 | 112 | 95 | 809 | 616 | 350 | 304 | 350 | 154 | 105 | 241 | 204 | 3 384 |
| | Native Littleneck | 572 | 783 | 1 047 | 1 886 | 732 | 501 | 476 | 454 | 246 | 94 | 378 | 794 | 7 963 |
| | Mixed | 4 | * | 30 | 93 | 56 | -- | 26 | -- | -- | 24 | -- | 1 | 234 |
| ABALONE | | | | | | | | | | | | | | |
| | | -- | -- | -- | 7 | 1 | -- | 1 | -- | -- | -- | -- | 134 | 143 |
| CRABS | | | | | | | | | | | | | | |
| Lb. in shell | Trawl | * | 9 | 27 | 71 | 37 | 5 | 1 | 11 | 4 | 2 | 4 | 2 | 173 |
| | Traps | 499 | 533 | 464 | 1 134 | 2 670 | 3 225 | 3 275 | 1 533 | 925 | 2 794 | 1 597 | 805 | 19 454 |
| CRAB DAYS | Traps | 262 | 236 | 180 | 393 | 544 | 590 | 516 | 317 | 248 | 535 | 400 | 284 | 4 505 |
| OYSTERS | | | | | | | | | | | | | | |
| Shucked - U. S. gal. | | 4 789 | 5 272 | 4 154 | 11 182 | 7 299 | 8 435 | 4 779 | 4 132 | 4 690 | 7 928 | 9 301 | 12 395 | 84 356 |

* Less than .5 cwt.