

CAN 107.1
1972

DFC - Library MPO - Bibliothèque



02007712

DEPT. OF THE ENVIRONMENT
FISHERIES SERVICE
TAB Z - 1972
PACIFIC REGIONAL LIBRARY

Annual Summary of BRITISH COLUMBIA CATCH STATISTICS 1972

DEPARTMENT OF THE ENVIRONMENT
FISHERIES AND MARINE SERVICE
PACIFIC REGION

SH
224
B7
C383
1972
c.2

SH 224 B7 C383 1972 c.2
Canada. Fisheries Service...
Annual summary of British
Columbia catch statistics
170092 02007712 c.2

ANNUAL SUMMARY
OF
BRITISH COLUMBIA CATCH STATISTICS
1972

TABLE OF CONTENTS

	<u>PAGE</u>		<u>PAGE</u>
Table of Contents and Foreword	1	Salmon Catch by Species in Areas of Highest Catch	8
District Summary of Catch Statistics	2	Total Salmon Landings by Species and Gear	9
Statistical Areas Map	3	Landings of Salmon - by Species and Gear, 1963-1972 (Thousands of Pounds)	10
Summary of Catch Statistics	4&5	Landings of Salmon - by Species and Area, 1963-1972 (Thousands of Fish)	11&12
Total Numbers of Salmon Caught - by Area	6	Total Catch of Fish and Shellfish by Species, Gear and Month in 1972	13-16
Total Weight of Salmon Caught - by Area	7		

F O R E W O R D

This annual summary of British Columbia Catch Statistics follows the format originally used in 1969. It will be followed by a detailed Annual Report to be made available on written request.

Preliminary monthly reports are issued throughout the year which summarize landings and values by species, and show area of catch and gear for salmon landings. This Annual Summary includes revisions of these data and represents final statistics for 1972.

Weights shown may be dressed or round, and are indicated on table headings. Some totals may differ slightly due to rounding.

Monthly periods do not coincide with calendar months, but are held constant as four or five weekly periods for historical comparison. Four week periods are March, May, June, August, September, and November; Five weeks: January, April, July and October.

Halibut landings include fish delivered to U.S. ports by Canadian fishermen under international agreement.

This report was compiled by the Special Economic Programs and Intelligence Branch.

DEPARTMENT OF THE ENVIRONMENT,
FISHERIES AND MARINE SERVICE
1090 W. PENDER STREET,
VANCOUVER 1, B.C.

W. R. Hourston,
Director of Fisheries,
Pacific Region.

R. Roberts, Manager,
Special Economic Programs
and Intelligence Branch.

FEBRUARY 7, 1973



DISTRICT SUMMARY OF CATCH STATISTICS FOR B.C. - 1972

AS REPORTED ON SALES SLIPS
(Landed Weight)

SPECIES	NORTH COAST '000 lb.	SOUTH COAST '000 lb.	FRASER AREA '000 lb.	TOTAL '000 lb.	LANDED VALUE \$ '000
Springs	4 885	9 143	2 281	16 309	10 028
Sockeye	10 325	7 483	3 135	20 943	8 983
Coho	10 450	9 808	586	20 844	11 052
Pinks	37 119	2 416	1	39 536	6 636
Chums	27 802	35 808	2 934	66 544	13 571
Steelhead	153	37	20	210	71
TOTAL SALMON	90 734	64 695	8 957	164 386	50 341
Herring	43 669	42 356	--	86 025	2 726
Halibut	20 591	1 492	--	22 083 ⁽¹⁾	13 684
Soles	5 152	2 218	24	7 394	572
Red & Rock Cod	2 439	1 405	*	3 844	215
Ling Cod	854	2 767	8	3 629	588
Grey Cod	5 369	9 606	3	14 978	1 264
Black Cod	535	1 087	*	1 622	462
Non-Food Fish	762	467	--	1 229	26
Flounder	408	43	3	454	18
Skate	123	62	*	185	9
Eulachons	--	--	117	117	19
Sturgeon	*	9	29	38	12
Ocean Perch	3 511	1 598	--	5 109	258
Tuna	4 537	3 305	--	7 842	2 513
Octopus	25	40	2	67	16
Smelt	4	*	1	5	1
Other Fish	319	3 585	6	3 910	197
Shrimps	34	495	265	794	311
Clams	322	3 116	--	3 438	382
Abalone	--	132	--	132	59
Crabs	486	760	730	1 976	753
Oysters - U.S. Gals.	--	--	--	110 009 ⁽²⁾	702
TOTAL				337 508	75 128

(1) A total of 6,897,534 pounds of halibut valued at \$4,311,390 landed by B.C. fishermen at U.S. ports is included above.

(2) Oyster total converted from gallons to pounds for inclusion in total.



SUMMARY OF CATCH STATISTICS - BRITISH COLUMBIA - 1972

1972 landings by B.C. Fishermen at Canadian and U.S. ports reached a total of 337.5 million pounds, valued at an all time record \$75.1 million.

B. C. Landings and Value - 1963 - 1972

	Millions of pounds	\$ Million
1963	772.9	41.1
1964	712.3	49.2
1965	626.1	48.2
1966	574.7	61.5
1967	333.0	49.6
1968	268.8	57.4
1969	174.0	47.4
1970	238.5	60.3
1971	228.8	58.6
1972	337.5	75.1

HALIBUT

Landings by B.C. Fishermen at Canadian and U.S. ports decreased to 22.1 million pounds in 1972. This year with the prices paid to fishermen averaging 62 cents per pound against 32.7 in 1971 fishermen's income showed a sharp increase from \$8.1 million in 1971 to \$13.7 million in 1972.

Year	Landings in British Columbia		Canadian Landings at U.S. Ports, re- ported by Halibut Commission		Total Landings	
	Mill. of lb.	\$000's	Mill. of lb.	\$000's	Mill. of lb.	\$000's
1963	25.93	5 721	11.34	2 528	37.27	8 249
1964	25.12	6 270	8.17	2 039	33.29	8 309
1965	25.78	8 699	7.19	2 413	32.97	11 112
1966	24.51	8 687	7.49	2 784	32.00	11 471
1967	19.67	5 068	6.55	1 563	26.22	6 631
1968	22.51	5 628	6.88	1 720	29.39	7 348
1969	27.20	11 578	6.64	2 822	33.84	14 400
1970	20.06	7 242	9.46	3 346	29.52	10 588
1971	15.95	5 214	9.34	2 924	25.29	8 138
1972	15.18	9 373	6.90	4 311	22.08	13 684

HERRING

The herring fishery reopened for food purposes in 1972. Total landings for the year stood at 86.0 million pounds valued at \$2,726,000.

OTHER FISH

Landings of other species reached a total of 50.6 million pounds, up considerably from 1971. Tuna landings were 7.8 million pounds worth \$2.5 million, the largest in the history of this fishery.

Year	Sole	Grey Cod	Ling	Tuna	Total*
(000's lb.)					
1963	5 686	6 756	3 238	32	22 769
1964	6 068	12 008	3 797	249	30 907
1965	6 408	19 223	4 412	348	39 957
1966	10 477	20 707	5 026	587	50 220
1967	9 056	11 179	4 984	971	37 117
1968	10 035	11 353	6 316	2 633	40 362
1969	10 477	7 573	4 960	3 203	39 445
1970	11 989	5 018	4 603	1 545	33 068
1971	10 680	8 749	4 341	4 011	37 446
1972	7 394	14 978	3 629	7 842	50 555

* Total includes miscellaneous species not specifically shown.

SHELLFISH

1972 shellfish production was valued at \$2.2 million, \$765,000 more than a year ago. Although crab landings were little changed from last year the value of \$750,000 was 76 per cent greater. Oyster production was valued at \$702,000, a gain of \$166,000 (31 per cent) compared with 1971.

Year	Crabs (000's lb.)	Shrimp (green weight)	Clams	Shucked Oysters (U. S. Gal.)
1963	3 405	1 788	3 146	170 375
1964	4 351	1 052	1 575	153 449
1965	3 501	1 755	2 097	150 676
1966	4 538	1 682	2 472	165 551
1967	5 301	1 696	2 760	128 345
1968	4 372	1 568	1 501	96 480
1969	3 710	2 119	1 282	121 736
1970	2 548	1 538	2 313	79 698
1971	1 963	735	2 547	84 356
1972	1 976	794	3 438	110 009

The salmon catch was 169.4 million pounds (round weight) valued at a record \$50.3 million, an increase of 21 per cent in volume and 13 per cent in value compared with 1971.

Chum landings were the largest since 1954. Pink landings increased over 1971, but spring, sockeye, and coho landings declined.

S P R I N G S

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$' 000
1963	10 165	803	12.7	4 020
1964	13 368	968	13.8	5 546
1965	12 669	981	12.9	5 306
1966	15 325	1 163	13.2	6 668
1967	15 355	1 130	13.6	6 681
1968	15 237	1 080	14.1	6 798
1969	14 224	1 098	13.0	7 041
1970	14 474	1 211	12.0	8 082
1971	19 184	1 591	12.1	9 203
1972	18 413	1 550	11.9	10 028

S O C K E Y E

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$' 000
1963	11 873	2 086	5.7	4 034
1964	22 951	3 619	6.3	8 257
1965	16 221	3 019	5.4	6 015
1966	25 705	4 020	6.4	9 528
1967	37 072	6 743	5.5	13 872
1968	41 390	6 264	6.6	15 630
1969	24 138	4 266	5.7	9 343
1970	25 186	4 077	6.2	9 960
1971	38 203	6 305	6.1	15 910
1972	20 982	3 573	5.9	8 983

C O H O

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1963	25 481	3 422	7.4	6 658
1964	31 656	4 149	7.6	9 255
1965	36 680	4 443	8.3	11 107
1966	38 681	5 412	7.1	11 929
1967	22 518	3 302	6.8	7 125
1968	33 381	5 256	6.4	10 448
1969	17 618	2 412	7.3	6 355
1970	30 091	3 935	7.6	12 563
1971	31 068	4 786	6.5	10 630
1972	23 221	3 357	6.9	11 052

P I N K S

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1963	60 577	12 202	5.0	6 073
1964	36 765	9 628	3.8	4 063
1965	22 933	5 109	4.5	2 668
1966	73 469	17 261	4.3	8 557
1967	51 643	9 818	5.3	6 640
1968	55 600	19 636	2.8	6 996
1969	13 827	2 569	5.4	2 225
1970	52 960	13 600	3.9	8 018
1971	38 866	8 454	4.6	6 528
1972	39 994	14 217	2.8	6 636

C H U M S

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1963	15 425	1 463	10.5	1 969
1964	23 932	2 253	10.6	3 061
1965	6 656	633	10.5	824
1966	15 362	1 311	11.7	1 887
1967	12 142	1 127	10.8	1 611
1968	36 510	3 081	11.9	4 950
1969	13 397	1 309	10.2	2 803
1970	36 972	3 679	10.0	6 416
1971	11 947	1 262	9.5	2 150
1972	66 562	6 074	11.0	13 571

T O T A L S A L M O N*

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1963	123 668	19 991	6.2	22 790
1964	128 907	20 641	6.2	30 244
1965	95 294	14 192	6.7	25 958
1966	168 849	29 198	5.8	38 654
1967	138 985	22 145	6.3	36 001
1968	182 340	35 337	5.2	44 887
1969	83 347	11 668	7.1	27 810
1970	159 809	26 513	6.0	45 076
1971	139 446	22 414	6.2	44 476
1972	169 384	28 790	5.9	50 341

* Steelhead included in total.

TOTAL NUMBERS OF SALMON CAUGHT IN 1972 BY AREA

(Rounded to Nearest Thousand)

AREA	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS	STEELHEAD	TOTAL
NORTH COAST							
Alaska	1.0	--	2.2	.2	--	--	3.4
1	-60.5	66.7	271.9	316.3	51.0	.9	767.3
2 EAST	40.8	.6	177.7	400.6	281.8	--	901.5
2 WEST	13.7	4.6	14.9	653.1	121.8	--	808.1
3	32.7	230.1	117.5	1 080.7	353.3	2.0	1 816.3
4	-52.2	-674.5	148.9	689.4	119.9	7.7	1 692.6
5	-68.2	76.0	199.0	-1 283.3	114.8	.9	1 742.2
6	-66.5	102.0	233.2	-5 612.3	-473.6	.3	6 487.9
7	-54.0	69.0	226.1	-1 373.4	-635.1	.5	2 358.1
8	31.1	85.9	134.5	-1 104.7	233.7	1.1	1 591.0
9	18.2	-379.0	48.0	826.8	27.5	.7	1 300.2
10	9.7	59.5	25.6	14.9	33.7	.1	143.5
30	4.2	--	13.9	3.1	--	--	21.2
T O T A L	452.8	1 747.9	1 613.4	13 358.8	2 446.2	14.2	19 633.3
SOUTH COAST							
0	-39.5	1.6	-145.2	.5	--	--	186.8
11	32.7	2.7	131.6	58.8	4.6	--	230.4
12	47.2	469.2	109.0	645.2	745.3	1.7	2 017.6
13	31.0	88.6	23.6	84.3	617.1	--	844.6
14	-47.8	.1	34.4	--	134.2	--	216.5
15	23.9	.8	8.9	--	26.1	--	59.7
16	-25.3	30.4	6.2	.1	27.9	--	89.9
17	-96.9	9.3	13.4	4.5	91.0	--	215.1
18	5.0	3.5	2.9	--	38.2	--	49.6
20	-41.5	-545.9	-165.6	6.4	202.3	.7	962.4
21	-42.3	.2	83.2	.2	--	--	125.9
22	.8	--	1.1	--	-1 290.4	--	1 292.3
23	-414.8	118.9	346.0	2.6	40.7	1.0	924.0
24	-65.9	9.8	180.8	11.5	33.7	--	301.7
25	14.3	5.3	120.6	2.1	103.9	--	246.2
26	26.8	1.4	146.5	5.6	11.5	--	191.8
27	18.8	10.1	143.5	36.1	4.9	.2	213.6
T O T A L	974.5	1 297.8	1 662.5	857.9	3 371.8	3.6	8 168.1
FRASER AREA							
29 A&B	75.9	336.6	54.0	.1	195.5	.8	662.9
29 C	4.8	16.4	1.8	--	8.3	--	31.3
29 D	42.3	174.0	25.1	--	52.4	.8	294.6
T O T A L	123.0	527.0	80.9	.1	256.2	1.6	988.8
B.C. TOTAL	1 550.3	3 572.7	3 356.8	14 216.8	6 074.2	19.4	28 790.2

TOTAL WEIGHT OF SALMON CAUGHT IN 1972 BY AREA


(1000 lb.)

(LANDED WEIGHT)

<u>AREA</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>	<u>STEELHEAD</u>	<u>TOTAL</u>
NORTH COAST							
Alaska	13.0	--	9.2	1.0	--	--	23.2
1	700.8	417.3	1 678.5	850.2	474.8	7.5	4 129.1
2 EAST	474.0	4.1	1 142.9	1 189.2	2 613.1	.2	5 423.5
2 WEST	193.2	25.8	102.7	2 176.9	1 187.4	.3	3 686.3
3	400.4	1 450.1	856.9	2 783.7	3 950.6	21.2	9 462.9
4	449.3	4 438.8	1 005.1	2 229.8	1 456.7	85.0	9 664.7
5	699.1	473.9	1 196.1	3 468.1	1 408.0	8.5	7 253.7
6	590.2	575.9	1 477.1	14 910.0	6 047.5	3.4	23 604.1
7	671.5	368.8	1 492.7	3 826.1	6 808.6	5.3	13 173.0
8	398.7	376.1	865.4	3 165.4	3 134.9	13.1	7 953.6
9	146.6	1 873.2	356.9	2 454.3	361.7	7.3	5 200.0
10	89.6	321.4	177.3	52.9	358.5	1.0	1 000.7
30	58.8	.1	89.4	11.0	.4	--	159.7
T O T A L	4 885.2	10 325.5	10 450.2	37 118.6	27 802.2	152.8	90 734.5
SOUTH COAST							
C	393.6	7.9	867.1	1.9	.1	.4	1 271.0
11	357.5	14.7	679.8	157.8	48.5	.5	1 258.8
12	600.9	2 744.4	695.3	1 791.4	8 085.0	16.2	13 933.2
13	243.0	516.0	154.9	252.3	6 703.1	.9	7 870.2
14	322.0	.4	136.7	.1	1 394.0	--	1 853.2
15	148.4	5.1	41.9	.1	264.6	--	460.1
16	174.4	174.4	33.4	.5	290.9	.1	673.7
17	503.0	53.6	56.1	11.8	919.7	--	1 544.2
18	29.4	20.6	27.4	--	414.7	.2	492.3
20	253.6	3 250.5	1 207.9	24.0	2 136.9	8.0	6 880.9
21	384.6	1.2	531.8	1.0	.1	.3	919.0
22	8.5	--	13.1	--	13 551.5	--	13 573.1
23	4 144.5	550.3	1 966.3	9.4	420.0	7.4	7 097.9
24	753.4	51.2	1 027.4	27.3	346.4	.1	2 205.8
25	189.2	28.3	702.3	6.4	1 062.8	.2	1 989.2
26	394.7	7.2	818.9	18.1	116.9	.1	1 355.9
27	242.8	57.5	847.3	114.2	52.6	1.9	1 316.3
T O T A L	9 143.5	7 483.3	9 807.6	2 416.3	35 807.8	36.3	64 694.8
FRASER AREA							
29 A&B	1 382.5	2 017.9	395.0	.8	2 236.3	10.2	6 042.7
29 C	76.1	99.2	13.3	.1	95.0	.6	284.3
29 D	822.2	1 017.7	177.6	.1	602.3	10.1	2 630.0
T O T A L	2 280.8	3 134.8	585.9	1.0	2 933.6	20.9	8 957.0
B.C. T O T A L	16 309.5	20 943.6	20 843.7	39 535.9	66 543.6	210.0	164 386.3

CHART - TOTAL SALMON LANDINGS BY SPECIES IN THE TEN HIGHEST-PRODUCING AREAS OF BRITISH COLUMBIA - 1972


Scale: 1" = 2.5 million pounds



TOTAL SALMON LANDINGS BY SPECIES AND GEAR - PERCENTAGES - 1972

MILLIONS OF POUNDS - ROUND WEIGHT

SPECIES	Gillnet		Seine		Troll		Total Million Pounds
	Quantity	%	Quantity	%	Quantity	%	
Springs	3.34	18.14	1.01	5.49	14.06	76.37	18.41
Sockeye	16.19	77.17	4.54	21.64	.25	1.19	20.98
Coho	5.07	21.83	2.26	9.73	15.89	68.44	23.22
Pinks	5.76	14.40	31.17	77.95	3.06	7.65	39.99
Chums	32.58	48.94	33.87	50.88	.11	.18	66.56
Steelhead	.18	85.72	.02	9.52	.02	4.76	.22
TOTAL	63.12	37.27	72.87	43.02	33.39	19.71	169.38



LANDINGS OF SALMON - BY SPECIES AND GEAR
1963-1972

<u>G I L L N E T</u>										
	<u>Springs</u>	<u>Sockeye</u>	<u>Coho</u>	<u>Pinks</u>	<u>Chums</u>	<u>Total</u>	<u>Value</u>	<u>Deliveries</u>	<u>Catch Per Delivery</u>	<u>Value Per Delivery</u>
	'000 Pounds (Round)						\$ 000	' 000	lb.	\$
1963	2 852	9 442	5 945	17 653	9 729	45 754	8 855	121	378	73
1964	4 374	20 113	7 787	13 360	11 359	57 214	13 882	137	418	101
1965	2 984	14 438	9 024	7 100	3 761	37 424	10 173	110	340	93
1966	3 172	18 500	10 050	24 390	8 526	64 928	14 716	122	532	121
1967	3 936	24 239	5 554	10 444	7 598	52 002	14 648	126	413	116
1968	3 533	32 696	7 706	8 383	21 450	73 973	20 254	137	540	148
1969	2 592	19 096	3 546	5 169	8 706	39 241	12 186	98	400	124
1970	3 296	15 303	8 078	17 862	23 370	68 025	16 780	130	523	129
1971	3 029	22 130	5 487	9 936	8 060	48 806	15 308	106	460	144
1972	3 343	16 186	5 073	5 762	32 578	63 125	18 345	109	579	168

<u>S E I N E</u>										
	<u>Springs</u>	<u>Sockeye</u>	<u>Coho</u>	<u>Pinks</u>	<u>Chums</u>	<u>Total</u>	<u>Value</u>	<u>Deliveries</u>	<u>Catch Per Delivery</u>	<u>Value Per Delivery</u>
	' 000 Pounds (Round)						\$ 000	' 000	lb.	\$
1963	472	2 294	3 472	37 072	5 613	48 931	6 112	12	4 078	509
1964	495	2 649	3 418	21 283	12 450	40 306	5 967	12	3 359	497
1965	928	1 663	4 174	14 250	2 813	23 841	4 075	11	2 167	370
1966	753	6 859	4 292	45 247	6 787	63 949	10 084	13	4 919	776
1967	979	11 110	2 834	28 811	4 502	48 252	9 442	13	3 712	726
1968	866	7 471	3 100	42 061	14 964	68 470	11 008	15	4 565	734
1969	806	3 964	1 356	4 600	4 633	15 364	3 885	9	1 707	432
1970	1 250	7 234	4 687	29 784	13 253	56 213	11 492	16	3 513	718
1971	942	11 809	4 198	22 629	3 756	43 339	10 679	11	3 940	971
1972	1 012	4 540	2 262	31 170	33 866	72 868	14 587	15	4 858	972

<u>T R O L L</u>										
	<u>Springs</u>	<u>Sockeye</u>	<u>Coho</u>	<u>Pinks</u>	<u>Chums</u>	<u>Total</u>	<u>Value</u>	<u>Deliveries</u>	<u>Catch Per Delivery</u>	<u>Value Per Delivery</u>
	' 000 Pounds (Round)						\$ 000	' 000	lb.	\$
1963	6 841	137	16 064	5 852	84	28 983	7 823	131	221	60
1964	8 499	189	20 451	2 122	122	31 387	10 395	147	214	71
1965	8 757	120	23 482	1 583	83	34 029	11 710	142	240	82
1966	11 400	346	24 339	3 832	49	39 972	13 854	148	270	94
1967	10 441	1 723	14 130	12 388	42	38 731	11 911	148	262	80
1968	10 838	1 223	22 575	5 156	96	39 897	13 625	155	257	88
1969	10 826	1 078	12 716	4 058	58	28 742	11 729	139	201	85
1970	9 928	2 649	17 326	5 314	349	35 571	16 804	155	229	108
1971	15 213	4 263	21 383	6 301	132	47 301	18 489	156	303	119
1972	14 058	256	15 886	3 062	118	33 391	17 409	141	237	123

NOTE: Totals include steelhead.

LANDINGS OF SALMON BY SPECIES AND AREA

1963 - 1972

QUEEN CHARLOTTE ISLANDS - (AREAS 1, 2E, 2W)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1963	32	9	433	78	145
1964	64	13	533	348	797
1965	62	28	337	80	180
1966	85	19	525	1 843	211
1967	75	35	320	115	457
1968	74	53	530	1 684	661
1969	99	47	322	78	141
1970	109	60	417	1 259	590
1971	126	60	375	105	422
1972	115	72	465	1 370	455

NASS, SKEENA, GRENVILLE & PRINCIPE - (AREAS 3, 4, 5)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1963	77	273	385	1 405	119
1964	115	1 084	547	2 978	246
1965	111	565	454	1 177	103
1966	116	890	811	4 448	251
1967	145	1 543	219	995	167
1968	149	1 114	740	3 059	416
1969	115	786	177	721	107
1970	94	801	307	3 127	299
1971	114	1 112	274	1 392	141
1972	153	981	465	3 053	588

BUTEDALE, BELLA BELLA, BELLA COOLA - (AREAS 6, 7, 8)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1963	82	239	552	3 967	695
1964	96	472	616	5 151	865
1965	100	190	515	2 465	270
1966	90	208	519	7 031	735
1967	81	328	172	219	247
1968	82	308	600	9 706	1 009
1969	67	87	161	100	353
1970	107	253	537	6 195	1 440
1971	89	229	346	570	422
1972	152	257	594	8 090	1 342

RIVERS AND SMITH INLETS - (AREAS 9, 10)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1963	10	613	41	42	47
1964	15	1 305	80	271	69
1965	30	935	269	59	19
1966	20	701	169	330	25
1967	39	1 404	289	207	36
1968	26	3 187	184	1 261	91
1969	21	903	71	30	65
1970	15	102	72	263	155
1971	16	546	45	29	25
1972	28	439	74	842	61

LANDINGS OF SALMON BY SPECIES AND AREA
 1963-1972 Continued
 =====

JOHNSTONE STRAIT - (AREAS 12, 13)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1963	65	238	383	1 949	289
1964	64	168	497	854	126
1965	68	170	509	674	23
1966	111	742	1 093	3 439	46
1967	113	1 350	483	3 501	148
1968	97	459	627	3 696	649
1969	96	529	221	464	485
1970	90	1 054	348	2 341	753
1971	90	640	336	3 488	94
1972	78	558	133	730	1 362

JUAN DE FUCA STRAIT - (AREA 20)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1963	24	144	356	3 356	20
1964	21	34	316	1	37
1965	29	170	460	414	24
1966	29	697	572	6	27
1967	21	857	463	2 668	21
1968	22	57	401	1	27
1969	40	636	267	419	18
1970	115	845	481	10	26
1971	58	1 574	605	1 101	24
1972	42	546	166	6	202

WEST COAST OF VANCOUVER ISLAND - (AREAS C, 21, 22, 23, 24, 25, 26, 27)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1963	281	43	1 088	590	80
1964	345	62	1 219	18	47
1965	406	81	1 717	116	1
1966	526	120	1 453	153	2
1967	413	292	1 195	1 468	1
1968	433	187	1 966	205	4
1969	469	236	1 109	485	6
1970	411	348	1 393	312	137
1971	694	656	2 394	976	108
1972	623	147	1 167	59	1 485

FRASER RIVER - (AREAS 28, 29 A & B, 29C, 29D)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1963	118	498	36	583	54
1964	167	465	134	--	61
1965	93	866	43	110	12
1966	99	629	37	--	14
1967	124	878	34	533	47
1968	105	831	82	--	202
1969	87	957	23	255	89
1970	133	574	99	1	179
1971	140	1 317	70	626	22
1972	123	527	81	--	256

(Gillnet and Seine - Round Weight

Troll - Dressed Head-On)

SALMON

TOTAL B.C.

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		Dec. 26- Jan. 29	Jan. 30- Feb. 26	Feb. 27- Mar. 25	Mar. 26- Apr. 29	Apr. 30- May 27	May 28- June 24	June 25- July 29	July 30- Aug. 26	Aug. 27- Sept. 23	Sept. 24- Oct. 28	Oct. 29- Nov. 25	Nov. 26- Dec. 30	
		000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.
Spring Salmon	Red G.N.			.9	17.3	76.9	404.8	654.7	384.9	218.3	68.7	10.2	.1	1 836.8
	Seine						10.0	270.9	320.3	65.9	7.6	1.7		676.4
	Jacks G.N.			*	.1	.6	9.0	68.2	37.4	26.0	9.2	.1	.1	150.7
	Seine						11.3	125.2	96.4	20.2	3.2	1.1		257.4
	White G.N.			.1	1.2	6.9	57.7	153.2	87.0	562.8	484.1	1.6	*	1 354.6
	Seine							2.6	64.9	9.2	2.1	.2	.1	
	Mixed Troll		6.6	18.9	446.7	2 106.8	3 706.0	3 309.9	1 801.1	452.3	99.6	4.6	1.8	11 954.3
Sockeye	G.N.					1.2	275.9	8 032.0	7 490.5	295.7	90.8	*		16 186.1
	Seine						5.3	1 531.1	2 977.8	22.5	2.8			4 539.5
	Troll					*	2.7	92.2	102.9	18.2	1.4			217.4
Coho	G.N.						65.3	926.3	1 643.3	1 683.4	668.8	85.9	.5	5 073.5
	Seine						14.3	392.6	865.0	635.7	344.1	10.0		2 261.7
	Troll						1 073.7	5 510.5	4 932.0	1 875.8	116.8	*		13 508.8
Pinks	G.N.						55.4	1 858.7	3 633.8	212.6	1.4	*		5 761.9
	Seine						96.7	12 775.4	16 510.8	1 768.3	18.7	*		31 169.9
	Troll				*	3.1	382.6	1 545.0	645.4	27.7	.3			2 604.1
Chums	G.N.					.9	140.2	3 859.6	8 847.3	5 604.7	11 112.4	2 916.7	95.8	32 577.6
	Seine						10.4	4 197.5	2 721.7	2 995.0	20 507.7	3 433.8		33 866.1
	Troll				*	9.2	16.8	39.2	21.3	12.3	1.2			100.0
Steelhead	G.N.			.2	3.0	1.4	7.8	56.6	75.2	24.9	10.8	2.0	.4	182.3
	Seine						.2	6.3	5.5	.4	5.3	.2		17.9
	Troll				*	.1	.8	1.7	5.9	.7	.2			9.4
Days Fishing	G.N.			29	468	1 500	5 976	33 885	31 293	17 784	12 845	4 542	196	108 518
	Seine						102	4 734	4 620	2 012	2 509	825		14 802
	Troll		98	257	4 144	18 101	29 452	39 733	30 407	15 557	2 679	151	33	140 592

* Less than 500 lbs.

TOTAL B.C.

OTHER FISH

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		Dec. 26- Jan. 29	Jan. 30- Feb. 26	Feb. 27- Mar. 25	Mar. 26- Apr. 29	Apr. 30- May 27	May 28- June 24	June 25- July 29	July 30- Aug. 26	Aug. 27- Sept. 23	Sept. 24- Oct. 28	Oct. 29- Nov. 25	Nov. 26- Dec. 30	000's lb.
		000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.
Herring	G.N.	.3	457.2	949.7	98.7								14.1	1 520.0
	Seine	657.0	1 924.9	55 996.9	24 999.0	169.6	77.9	39.7	22.4	14.7		160.0	440.4	84 502.5
	Trawl	.4										.5	1.8	2.7
	Other													
Halibut	Lge. L.L.				88.1	1 453.5	1 067.9	1 805.4	1 105.7	995.4	37.8	4.5		6 557.7
	Med. L.L.				114.5	3 753.2	2 872.2	2 684.0	1 414.1	1 155.3	37.9	53.7		12 084.9
	Chix L.L.				2.8	307.4	374.9	237.8	113.4	39.4	.6	.4		1 076.7
	No. 2 L.L.				7.5	179.1	117.3	145.4	96.4	99.7	3.8	5.2		645.4
	Mixed HLST.				2.4	OT.1 197.5	OT.4 461.9	OT.2 764.7	OT* 290.4	OT.1 *	OT*	OT.1		OT.9 1 716.9
Sole	Brill Trawl	1.5	2.0	.1	11.0	107.9	228.7	334.1	292.0	114.1	189.8	14.9	2.1	1 231.6
	Butter Trawl			88.8	86.9									175.7
	Dover Trawl		.6		3.7	13.9	71.4	430.2	59.6	409.9	117.5	30.0	7.7	1 144.5
	Lemon Trawl	18.4	156.6	14.9	123.8	24.6	20.8	61.8	61.8	46.1	PS12.9 59.8	PS9.1 232.7	PS.2 37.1	PS22.2 858.4
	Rex Trawl	.1	.7		.3	1.0	22.7	78.2	69.9	102.4	45.8	24.5	4.0	349.6
	Rock Trawl	38.2	26.2	67.2	224.9	443.2	786.5	553.6	567.9	324.4	281.6	47.5	37.4	3 398.6
	Mixed Trawl			.5	3.0	25.1	135.4	24.7	16.8	6.7	1.2			213.4
	Total Trawl	58.2	186.1	171.5	453.6	615.7	1 265.5	1 482.6	1 008.0	1 003.6	PS12.9 689.7	PS9.1 349.0	PS.2 88.3	PS22.2 7371.8
Red & Rock Cod	HLST.	.7	8.8	7.4	27.5	19.5	32.2	37.5	41.5	42.0	69.3	PS.2 26.3	20.6	PS.2 333.3
	L.L.		.7	4.1	7.2	36.9	44.1	28.2	10.0	2.9	4.9	.4		139.4
	Trawl	4.4	21.3	17.5	18.7	477.9	388.5	267.7	446.3	745.2	646.9	257.9	76.4	3 368.7
	Trap			BS*	.3	.2	1.2			BS* *	.2	BS* .7	.1	BS* 2.7
Ling Cod	HLST.	2.7	8.9	56.1	191.2	224.7	326.0	332.5	195.3	141.0	PS.9 219.5	PS1.1 80.0	37.4	PS2.0 1815.3
	L.L.		.6	12.5	8.8	46.0	52.9	31.3	12.4	.6	3.5	.3		168.9
	Trawl	5.1	30.2	17.9	40.9	143.9	456.6	444.4	270.0	92.2	88.5	38.5	12.8	1 641.0
	Other				.4	.1	Trap .5			.3		Trap .1		Trap.6 .8
Grey Cod	L.L.					.1		.1		1.6	PS 31.1	PS 28.1	PS 3.3	PS62.5 1.8
	Trawl	277.7	1 561.6	2 125.9	1 911.1	1 574.1	2 129.5	1 878.9	1 322.7	658.7	771.8	368.4	327.0	14 907.4
Black Cod HL, OTHER	L.L.					.8	2.5	2.2	.4	.3	.1			6.3
	Trawl	8.1	.3	34.0	74.7	35.1	113.3	66.2	68.0	57.1	44.7	52.0	59.1	612.6
Non-Food Fish	Trawl	.1	1.6	4.5		1.8	17.9	368.9	454.9	46.6	102.0	8.0	3.5	1 009.8
	Trawl	86.6	90.1	51.6	LL.3 116.3	LL.4 159.4	HL.1 67.7	HL.1 10.7	HL.2 32.4	229.7	PS1.1/205.6	PS2.2 134.2	29.7	HL.1/44.8 PS1.3/7123.6
Flounders	Trawl	.6	13.4	38.2	BS.4 32.6	187.0	89.1	12.8	9.1	GN .7/12.9	GN2.9/ 21.7	22.2	11.2	GN 3.0 BS .4 / 450.8
	Skate	4.6	13.7	5.8	24.7	38.4	LL.1 26.9	HL.2 8.6	9.6	10.7	HL.1 PS.3 16.4	PS.1 18.3	HL.1 5.5	HL.1 PS.4/ 183.2

* Less than 100

OTHER FISH

TOTAL B.C.

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		Dec. 26- Jan. 29	Jan. 30- Feb. 26	Feb. 27- Mar. 25	Mar. 26- Apr. 29	Apr. 30- May 27	May 28- June 24	June 25- July 29	July 30- Aug. 26	Aug. 27- Sept. 23	Sept. 24- Oct. 28	Oct. 29- Nov. 25	Nov. 26- Dec. 30	
		000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.
Eulachons	G.N.				74.9	42.3								117.2
Sturgeon	G.N.			.5	7.1	4.1	5.5	4.3	3.5	3.1	1.5	.1		29.7
	Trawl	.1	2.3	.6	1.6	1.6	2.0	.1						8.3
	Other													
Ocean Perch	Trawl		27.9		.4	206.7	1 064.5	537.6	582.5	793.5	864.0	791.8	240.0	5 108.9
Perch	H.L.		.4		3.0	1.9				1.9	3.4	.3	.1	11.0
	Trawl	.2	.4	.1			.1	.3			.2	.6	.1	2.0
	Beach Seine			.1	11.8	6.6				1.1	.7	1.6		21.9
Tuna	Seine													
	H.L.	51.3						97.7	3 801.1	3 260.8	629.1	2.3		7 842.3
Octopus	H.L.	.1	.8	.8	.2	.5	.1		2.0	.1	PS.1/ .3	.1	.1	PS.1/ 5.1
	Trap	.8	.2	LL.1/ 1.5	1.2	.6	LL.2/ .3	LL.1/ 1.0	LL.2/ 1.3	1.2	5.1	3.7	8.1	LL.6/ 25.0
	Trawl	2.7	OT.4/ 8.7	3.4	6.4	3.9	2.3	2.1	.7	.6	OT1.9/ .8	1.2	.9	OT2.9/ 33.7
Smelt	Seine						.2		.7	.4	.1	.8	2.7	4.9
Grayfish	Trawl			SNE 2.4	11.2		.8	GN3.4/ 5.8	33.5	HL.1/ 14.0	28.7	GN 17.5 11 8.07 96.0	PS 1.9 LL63.6/ 25.2	Other 96.8/ 215.2
Turbot	Trawl				12.9	12.7		21.8	27.5	64.3	94.8	14.9	8.6	257.5
Big Eye	Trawl							4.0		11.0	371.3	.3		386.6
Other Fish	G.N.			.4	.5	3.2	.2							4.3
	Seine								3.0					3.0
	HI&T.			.1	.2	.7	.1							1.1
	L.L.													
	Trawl			.2		.7	42.6	29.1	14.7	13.1	28.3	21.6	7.7	158.0
	Other	129.9	216.1	181.4	141.4	1 659.1				33.7	188.8	75.6	125.4	2 751.4
Days Fishing	G.N.				147	53	5	4	1	3	5	5		223
	Seine			7					1		34	36	8	86
	HI&T.	70	25	269	587	693	625	727	2 343	2 704	1 623	365	149	10 180
	L.L.		10	15	103	3 103	3 679	2 441	1 056	676	83	31	12	11 209
	Trawl	147	341	333	391	482	496	484	330	268	365	259	142	4 038
	Beach Seine			2	14	8				1	3	3		31
	Trap	11	2	8	7	5	29	9	12	18	15	30	24	170
	Herring GN	OT 1 1	104	276	41								OT 4	OT 3 3
Herring Seine	49	87	528	281	35	57	49	15	13		1	23	1 138	
	Other	17	13	22	22	12	3		3	11	75	21	23	222

TOTAL B.C.

SHELLFISH

			JANUARY Dec. 26- Jan. 29	FEBRUARY Jan. 30- Feb. 26	MARCH Feb. 27- Mar. 25	APRIL Mar. 26- Apr. 29	MAY Apr. 30- May 27	JUNE May 28- June 24	JULY June 25- July 29	AUGUST July 30- Aug. 26	SEPTEMBER Aug. 27- Sept. 23	OCTOBER Sept. 24- Oct. 28	NOVEMBER Oct. 29- Nov. 25	DECEMBER Nov. 26- Dec. 30	TOTAL
			000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.
SHRIMP	Prawns	Trawl	*	.2	1.0	.4	6.2	7.7	--	1.0	.2	1.0	.1	.1	17.9
		Traps	12.9	29.6	9.1	10.8	7.3	2.9	3.3	1.2	2.3	2.9	8.3	27.6	118.2
	Mixed	Trawl	1.5	34.9	23.8	27.5	64.6	98.1	77.3	58.0	71.5	84.7	84.4	19.5	645.8
		Traps	4.6	1.8	.5	.9	.1	--	--	--	.5	2.1	1.3	.5	12.3
SHRIMP DAYS	Trawl	13	251	166	295	411	409	249	155	247	342	365	131	3 034	
	Traps	107	126	51	64	52	32	64	14	37	47	73	158	825	
CLAMS	Razor	--	5.5	--	18.0	13.3	--	--	--	1.2	--	--	--	38.0	
	Butter	286.1	370.3	267.9	237.3	102.9	14.5	13.6	1.8	.7	27.7	39.2	60.8	1 422.8	
	Japanese Littleneck	28.0	60.7	54.0	105.5	142.9	100.8	72.5	1.3	4.4	11.3	1.2	1.8	584.4	
	Native Littleneck	64.4	51.2	91.8	160.4	229.4	373.4	239.3	66.8	52.3	36.0	16.3	9.8	1 391.1	
	Mixed	.3	--	--	*	.3	--	--	--	--	--	.6	--	1.2	
ABALONE		--	--	8.7	15.1	18.5	9.0	9.0	12.9	9.3	35.2	12.9	1.0	131.6	
ABALONE DAYS		--	--	33	73	63	35	35	53	38	74	33	7	444	
CRABS lb. in shell	Trawl	--	--	2.6	7.4	1.6	5.9	.3	.3	2.7	1.0	1.0	.6	23.4	
	Traps	69.4	81.6	78.0	156.0	146.9	278.9	228.6	167.1	210.6	290.1	156.2	88.8	1 952.2	
CRAB DAYS	Traps	242	242	291	551	531	652	667	501	506	574	442	329	5 528	
OYSTERS Shucked - U.S. Gal.		7 374	9 938	13 138	8 686	13 258	8 917	8 017	5 712	5 957	8 939	10 058	10 015	110 009	

* Less than 100