

Set 1

Diana McMullin



Government of Canada
Fisheries and Oceans

Gouvernement du Canada
Pêches et Océans

DO NOT REMOVE

STATISTICS COPY
DO NOT REMOVE

Annual Summary of BRITISH COLUMBIA CATCH STATISTICS

1978

PACIFIC REGION

PLEASE NOTE WEIGHTS ARE SHOWN IN METRIC TONS

1 METRIC TON = 2,204.6 POUNDS

ANNUAL SUMMARY
OF
BRITISH COLUMBIA CATCH STATISTICS
1978

PAGE: 1

TABLE OF CONTENTS

<u>PAGE</u>	<u>PAGE</u>
Table of Contents and Foreword	1
Landings & Value Major Species 1958-78	3
Statistical Areas Map	4
District Summary of Catch Statistics	5
Summary of Catch Statistics	6&7
Total Numbers of Salmon Caught -By Area	8
Total Weight of Salmon Caught -By Area	9
Salmon Catch by Species in Areas of Highest Catch	10&11
	12
	13
	14&15
	16
	17-22

F O R E W O R D

This annual summary of British Columbia Catch Statistics introduces the metric system to the Pacific Fisheries. While it still follows the general format originally used in 1969, the figures are now shown in metric tons (1000 kilograms). The summary will be followed by a detailed Annual Report to be made available on written request.

Preliminary monthly printouts are prepared throughout the year which summarize landings and values by species. This annual summary includes revisions of these data and represents final statistics for 1978.

Prior to 1973 net caught salmon was valued at the cash buying price or minimum prices negotiated by the United Fishermen and Allied Workers Union and the Fisheries Association of British Columbia. Since 1973 actual prices paid on the fishing grounds have been used because competition for salmon has resulted in higher than minimum negotiated prices being paid.

Weights shown may be dressed or round, and are indicated on table headings. Halibut landings include fish delivered by Canadian fishermen to U.S. ports.

Monthly periods do not coincide with calendar months, but are held constant as four or five weekly periods for historical comparison. Four week periods are March, May, June, August, September and November; five weeks are April, July and October.

This report was compiled by the staff of the Statistics Services Unit under the direction of Mrs. M. Walker from summaries developed by the Data Processing Unit.

N O T E S

With modern methods of icing and brining used by gill-netters and seiners and the increase in the number of troll freezer boats "dates" in this publication refer to date of delivery, and not necessarily date of catch.

The conversion factor for metric tons is:





1 METRIC TON = 2,204.6 POUNDS

DEPARTMENT OF FISHERIES AND OCEANS
FISHERIES MANAGEMENT
1090 West Pender Street
VANCOUVER, B.C. V6E 2P1

Dr. W.E. Johnson
Director-General
Fisheries Management
Pacific Region


D. Reid
Acting Economic Advisor
Economics and
Statistical Services

March 30, 1979



DEPARTMENT OF THE ENVIRONMENT
FISHERIES OPERATIONS

STATISTICAL MAP
SHOWING AREAS OF CATCH FOR
BRITISH COLUMBIA WATERS




● FISHERIES SERVICE OFFICES



— STATISTICAL AREAS


SALMON FISHING WITH NETS OF ANY
KIND IS NOT PERMITTED OUTSIDE OF —
THAT IS SEAWARD OF — THE HEAVY BLACK LINE

NOTE: AREAS 5, 6, 7, 8 AND 9 REVISED JAN 1974



READ CAREFULLY

- 1 PIN UP IN WHEELHOUSE
- 2 WHEN DELIVERING YOUR CATCH, GIVE TALLY MAN THE MAP NUMBER, OR NUMBERS SHOWING THE AREA IN WHICH YOUR FISH WERE CAUGHT
- 3 ACCURATE CATCH REPORTS WILL HELP PRESERVE YOUR FISHERIES



FOR ALL FISH CAUGHT
OFF THE COAST OF THE
STATE OF WASHINGTON
SOUTH OF CAPE FLATTERY
REPORT AS AREA "C"

DISTRICT SUMMARY OF CATCH STATISTICS FOR B.C. - 1978

PAGE: 5

AS REPORTED ON SALES SLIPS

(Landed Weight - Metric Tons)

SPECIES	NORTH COAST (1)	SOUTH COAST (1)	FRASER AREA (1)	TOTAL	LANDED VALUE \$'000
<u>FISH AND SHELLFISH - TOTAL</u>	<u>86 482</u>	<u>102 790</u>	<u>3 997</u>	<u>193 269</u>	<u>252 192</u>
<u>Groundfish - Total</u>	<u>20 671</u>	<u>8 405</u>	<u>184</u>	<u>29 260</u>	<u>25 946</u>
Ling Cod	207	1 100	3	1 310	1 279
Grey Cod	2 413	2 974	9	5 396	2 271
Black Cod	311	245	-	556	971
Halibut	3 642	222	-	3 864 (2)	16 835
Soles	2 263	800	13	3 076	1 248
Flounders	44	37	2	83	19
Turbot	1 605	695	-	2 300	338
Rockfish	8 308	1 992	5	10 305	2 587
Pollock	1 878	340	152	2 370	398
<u>Pelagic and Estuarial - Total</u>	<u>64 154</u>	<u>85 450</u>	<u>3 212</u>	<u>152 816</u>	<u>215 651</u>
Salmon	30 065	34 913	3 055	68 033	158 164
Herring	33 937	47 463	-	81 400	56 817
Tuna	9	14	-	23	36
Dogfish	27	3 032	91	3 150	541
Skate	116	25	*	141	25
Smelt	-	-	2	2	3
Eulachons	-	-	38	38	27
Sturgeon	-	3	26	29	38
<u>Molluscs and Crustaceans - Total</u>	<u>1 257</u>	<u>6 699</u>	<u>535</u>	<u>8 491</u>	<u>8 038</u>
Clams	311	1 268	8	1 587	834
Geoducks	-	1 016	-	1 016	569
Shrimps and Prawns	35	1 364	170	1 569	1 901
Crabs	481	338	357	1 176	1 802
Abalone	419	14	-	433	1 864
Octopus	11	11	*	22	31
Oysters	-	2 613 (3)	-	2 613 (3)	1 021
Other	-	75	-	75	16
<u>Miscellaneous Items - Total</u>	<u>400</u>	<u>2 236</u>	<u>66</u>	<u>2 702</u>	<u>2 557</u>
Salmon Roe	36	67	6	109	522
Herring Spawn on Kelp	135	18	-	153	1 937
Non-Food Fish	21	81	-	102	4
Other Fish	208	2 070	60	2 338	94

(1) See statistical map on Page 4.

(2) A total of 1 570 metric tons of halibut valued at \$6,834,000 landed by B.C. fishermen at U.S. ports is included above.

(3) 76,815 U.S. shucked gallons converted to metric tons.

SUMMARY OF CATCH STATISTICS - BRITISH COLUMBIA - 1978

Landings by B.C. fishermen in 1978 of 193,269 metric tons attained a record value of \$252.2 million.

B.C. Landings and Value - 1969 - 1978

	<u>METRIC TONS</u>	<u>\$ MILLION</u>
1969	78 926	47.4
1970	108 184	60.3
1971	103 784	58.6
1972	153 090	75.1
1973	176 360	130.4
1974	135 082	101.0
1975	126 645	79.7
1976	174 137	141.9
1977	198 042	167.9
1978	193 269	252.2

HALIBUT

Halibut landings of 3,864 metric tons were down slightly from last year but the value increased by 50 percent to \$16.8 million. The quantity landed at United States ports was up from the previous year at 1,570 metric tons valued at \$6.8 million.

<u>Landings in</u> <u>British Columbia</u>			<u>Canadian Landings</u> <u>at U.S. Ports,</u> <u>reported by Halibut</u> <u>Commission</u>		<u>Total</u> <u>Landings</u>	
<u>Year</u>	<u>Metric Tons</u>	<u>\$000's</u>	<u>Metric Tons</u>	<u>\$000's</u>	<u>Metric Tons</u>	<u>\$000's</u>
1969	12 338	11 578	2 994	2 822	15 332	14 400
1970	9 072	7 242	4 309	3 346	13 381	10 588
1971	7 258	5 214	4 218	2 924	11 476	8 138
1972	6 895	9 373	3 130	4 311	10 025	13 684
1973	4 491	7 348	2 086	3 350	6 577	10 698
1974	2 948	4 746	454	694	3 402	5 440
1975	3 538	7 055	1 588	3 070	5 126	10 125
1976	4 318	11 974	1 125	3 031	5 443	15 005
1977	2 818	8 278	1 133	2 929	3 951	11 207
1978	2 294	10 001	1 570	6 834	3 864	16 835

HERRING

Although herring landings decreased from 97,172 metric tons in 1977 to 81,400 metric tons in 1978, the value reached a record high of \$56.8 million.

OTHER FISH

Landings of other species were 31,578 metric tons, an increase of 24% compared with 1977. Soles, ling cod, black cod and grey cod declined while rockfish, turbot, pollock and dogfish all showed significant gains.

<u>Year</u>	<u>Sole</u>	<u>Grey Cod</u>	<u>Ling</u>	<u>Rockfish</u>	<u>Total *</u>
1969	4 752	3 435	2 250	2 095	17 892
1970	5 438	2 276	2 088	2 983	15 000
1971	4 844	3 969	1 969	2 259	16 985
1972	3 354	6 794	1 646	4 061	22 932
1973	3 065	6 019	1 486	2 790	23 001
1974	3 256	7 073	1 762	2 659	18 988
1975	4 448	8 308	1 946	3 226	21 194
1976	5 144	8 052	1 581	3 986	23 345
1977	3 778	6 127	1 561	7 905	25 448
1978	3 076	5 396	1 310	10 305	31 578

* Total includes miscellaneous species not specifically shown.

SHELLFISH

Despite an increase in geoduck deliveries from 245 metric tons in 1977 to 1,018 metric tons in 1978, shellfish landings showed a slight decrease.

<u>Year</u>	<u>Crabs</u>	<u>Shrimp</u>	<u>Clams</u>	<u>Geoducks</u>	<u>Abalone</u>	<u>Shucked</u> <u>Oysters (Gal.)</u>
1969	1 683	961	582	N/A	*	121 736
1970	1 156	698	1 049	"	16	79 698
1971	890	333	1 155	"	6	84 356
1972	896	360	1 560	"	60	110 009
1973	1 170	784	714	"	68	131 649
1974	1 135	1 202	1 110	"	26	108 066
1975	1 140	784	1 173	"	57	89 255
1976	995	3 503	1 179	"	273	89 249
1977	1 030	2 801	1 389	245	428	82 448
1978	1 176	1 569	1 587	1 016	433	76 815

* Less than 500 Kgs.

SALMON

Salmon landings in 1978 of 70,604 metric tons (round weight) valued at \$158.2 million were up by 7.7 percent in quantity and 45.5 percent in value from the previous year. Sockeye exceeded all other species and totalled 22,321 metric tons accounting for 32 percent of all salmon landed. Chum landings climbed from 6,032 metric tons in 1977 to 15,855 metric tons in 1978.

S P R I N G S

	Quantity Metric Tons Round	Pieces '000	Average Size Kg.	Landed Value \$'000
1969	6 452	1 098	5.9	7 041
1970	6 565	1 211	5.4	8 082
1971	8 702	1 591	5.5	9 203
1972	8 352	1 550	5.4	10 028
1973	7 556	1 425	5.3	13 986
1974	7 637	1 467	5.2	13 803
1975	7 289	1 413	5.2	12 172
1976	7 776	1 541	5.0	22 919
1977	7 522	1 497	5.0	23 589
1978	7 887	1 367	5.8	29 461

S O C K E Y E

	Quantity Metric Tons Round	Pieces '000	Average Size Kg.	Landed Value \$'000
1969	10 949	4 266	2.6	9 343
1970	11 424	4 077	2.8	9 960
1971	17 329	6 305	2.7	15 910
1972	9 517	3 573	2.7	8 983
1973	21 526	7 600	2.8	26 497
1974	21 694	7 225	3.0	29 841
1975	5 681	2 272	2.5	8 184
1976	12 339	4 812	2.6	20 656
1977	17 388	6 348	2.7	32 218
1978	22 321	7 209	3.1	55 181

C O H O

	Quantity Metric Tons Round	Pieces '000	Average Size Kg.	Landed Value \$'000
1969	7 991	2 412	3.3	6 355
1970	13 649	3 935	3.5	12 563
1971	14 092	4 786	2.9	10 630
1972	10 533	3 357	3.1	11 052
1973	11 250	3 531	3.2	18 910
1974	10 378	3 724	2.8	13 834
1975	7 737	2 330	3.3	12 401
1976	9 322	3 701	2.5	21 331
1977	9 857	3 339	3.0	22 671
1978	9 152	3 347	2.7	27 269

P I N K S

	Quantity Metric Tons Round	Pieces '000	Average Size Kg.	Landed Value \$'000
1969	6 272	2 569	2.4	2 225
1970	24 022	13 600	1.8	8 018
1971	17 630	8 454	2.1	6 528
1972	18 141	14 217	1.3	6 636
1973	13 306	6 510	2.0	7 882
1974	11 207	7 374	1.5	5 791
1975	10 239	4 634	2.2	6 900
1976	17 056	10 346	1.6	12 124
1977	24 723	10 358	2.4	22 262
1978	15 331	10 487	1.5	12 835

C H U M S

	Quantity Metric Tons Round	Pieces '000	Average Size Kg.	Landed Value \$'000
1969	6 077	1 309	4.6	2 803
1970	16 770	3 679	4.6	6 416
1971	5 419	1 262	4.3	2 150
1972	30 192	6 074	5.0	13 571
1973	32 762	6 241	5.2	32 670
1974	12 479	2 202	5.7	10 680
1975	5 389	1 145	4.7	7 206
1976	10 922	1 900	5.7	14 835
1977	6 032	1 089	5.5	7 905
1978	15 855	2 971	5.3	33 336

T O T A L S A L M O N *

	Quantity Metric Tons Round	Pieces '000	Average Size Kg.	Landed Value \$'000
1969	37 806	11 668	3.2	27 810
1970	72 489	26 513	2.7	45 076
1971	63 252	22 414	2.8	44 476
1972	76 832	28 790	2.7	50 341
1973	86 458	25 317	3.4	99 998
1974	63 444	22 003	2.9	73 998
1975	36 384	11 803	3.1	46 913
1976	57 462	22 310	2.6	91 942
1977	65 582	22 643	2.9	108 725
1978	70 604	25 390	2.8	158 164

* Steelhead included in total

TOTAL NUMBERS OF SALMON CAUGHT IN 1978 BY AREA

(Rounded to Nearest Thousand)

<u>AREA</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>	<u>STEELHEAD</u>	<u>TOTAL</u>
NORTH COAST							
ALASKA	-	-	-	-	-	-	-
1	74	6	267	75	9		431
2 EAST	34	3	153	259	116		565
2 WEST	35	13	39	229	12		328
3	35	287	134	2 711	152	2	3 321
4	14	406	74	380	62	4	940
5	7	35	43	338	40		463
6	38	57	104	2 753	225		3 177
7	38	34	106	345	335		858
8	23	54	81	1 706	126	1	1 991
9	16	579	35	218	57		905
10	6	234	23	18	39		320
30	1	1	3	1			6
T O T A L	321	1 709	1 062	9 033	1 173	7	13 305
SOUTH COAST							
C	16						16
11	29	140	149	70	34		422
12	75	2 415	180	1 174	715	2	4 561
13	60	897	106	96	536		1 695
14	53	3	197	3	100		356
15	19		26				45
16	16	38	22	1			77
17	75	24	36				135
18	7	15	2				24
19	-	-	-	-	-		-
20	28	476	106	1	55		666
21	40	12	63				115
22	-	-	-	-	-		-
23	354	254	519	5	72		1 204
24	100	155	399	6	128		788
25	30	217	100	9	10		366
26	44	106	134	9	5		298
27	37	167	174	79	18		475
T O T A L	983	4 919	2 213	1 453	1 673	2	11 243
FRASER AREA							
28	3		16				19
29 A&B	32	441	37	1	95		606
29 C	1	30	2		5		38
29 D	27	110	17		25		179
29 E	-	-	-	-	-		-
T O T A L	63	581	72	1	125		842
B.C.							
TOTAL	1 367	7 209	3 347	10 487	2 971	9	25 390




TOTAL WEIGHT OF SALMON CAUGHT IN 1978 BY AREA


(Metric Tons)
(Landed Weight)

<u>AREA</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>	<u>STEELHEAD</u>	<u>TOTAL</u>
NORTH COAST							
ALASKA	-	-	-	-	-	-	-
1	525	19	713	106	39	1	1 403
2 EAST	199	10	410	380	489	*	1 488
2 WEST	250	42	117	400	46	*	855
3	137	862	386	3 943	825	10	6 163
4	71	1 286	223	627	321	20	2 548
5	36	97	129	549	212	2	1 025
6	199	155	296	3 960	1 404	1	6 015
7	251	92	307	471	1 774	1	2 896
8	170	134	224	2 402	764	3	3 697
9	74	1 998	93	294	360	2	2 821
10	30	793	49	34	226	1	1 133
30	8	2	8	1	2	-	21
T O T A L	1 950	5 490	2 955	13 167	6 462	41	30 065
SOUTH COAST							
C	82	-	-	-	-	-	82
11	169	394	309	99	181	1	1 153
12	473	7 402	508	1 659	3 829	8	13 879
13	240	2 739	277	139	2 799	1	6 195
14	142	8	343	4	502	*	999
15	56	1	49	*	1	-	107
16	47	117	39	1	*	*	204
17	180	66	60	*	1	*	307
18	17	45	6	*	1	*	69
19	-	-	-	-	-	-	-
20	97	1 448	345	1	274	1	2 166
21	191	30	139	1	1	*	362
22	-	-	-	-	-	-	-
23	1 700	656	1 136	6	346	2	3 846
24	528	407	800	9	593	*	2 337
25	162	576	235	15	43	*	1 031
26	254	294	331	15	23	*	917
27	222	450	402	110	75	*	1 259
T O T A L	4 560	14 633	4 979	2 059	8 669	13	34 913
FRASER AREA							
28 (1)	4	-	35	-	-	-	39
29 A&B	222	1 283	113	2	517	1	2 138
29 C	8	91	6	-	24	*	129
29 D	243	316	52	*	136	2	749
29 E	-	-	-	-	-	-	-
T O T A L	477	1 690	206	2	677	3	3 055
B.C.							
TOTAL	6 987	21 813	8 140	15 228	15 808	57	68 033


(1) Capilano Hatchery
* Less than 500 Kgs.

FIVE HIGHEST PRODUCING AREAS OF BRITISH COLUMBIA FOR THE MAJOR SPECIES OF SALMON - 1978






CHUMS



PINKS

TOTAL SALMON LANDINGS BY SPECIES AND GEAR - PERCENTAGE - 1978

SPECIES	METRIC TONS - ROUND WEIGHT						Total Metric Tons
	Gillnet		Seine		Troll		
	Quantity	%	Quantity	%	Quantity	%	
Springs	997	12.7	886	11.2	6 004	76.1	7 887
Sockeye	7 819	35.0	11 107	49.8	3 395	15.2	22 321
Coho	1 281	14.0	1 108	12.1	6 763	73.9	9 152
Pinks	2 319	15.1	12 326	80.4	686	4.5	15 331
Chums	6 641	41.9	8 901	56.1	313	2.0	15 855
Steelhead	45	77.6	9	15.5	4	6.9	58
T O T A L	19 102	27.1	34 337	48.6	17 165	24.3	70 604



LANDINGS OF SALMON BY SPECIES AND GEAR 1969-1978

Tonnes*-Round Weight

G I L L N E T

	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>	<u>TOTAL</u>	<u>VALUE</u>	<u>DELIVERIES</u>	<u>CATCH PER</u>	<u>VALUE PER</u>
	Tonne	Tonne	Tonne	Tonne	Tonne	Tonne	\$ 000	' 000	Kg.	\$
1969	1 176	8 662	1 608	2 345	3 949	17 800	12 186	98	182	124
1970	1 495	6 941	3 664	8 102	10 601	30 856	16 780	130	237	129
1971	1 374	10 038	2 489	4 507	3 656	22 138	15 308	106	209	144
1972	1 516	7 342	2 301	2 614	14 777	28 633	18 345	109	263	168
1973	1 204	15 276	1 796	2 719	15 705	36 751	40 288	109	337	369
1974	982	11 026	1 689	2 685	7 943	24 367	26 672	89	274	300
1975	1 031	4 223	1 524	2 353	2 845	12 014	15 014	61	197	246
1976	1 027	7 655	1 177	3 013	4 841	17 746	25 825	78	228	331
1977	1 129	10 793	1 357	5 470	3 229	22 028	34 416	83	265	415
1978	997	7 819	1 281	2 319	6 641	19 102	38 687	69	277	561

S E I N E

	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>	<u>TOTAL</u>	<u>VALUE</u>	<u>DELIVERIES</u>	<u>CATCH PER</u>	<u>VALUE PER</u>
	Tonne	Tonne	Tonne	Tonne	Tonne	Tonne	\$ 000	' 000	Kg.	\$
1969	366	1 798	615	2 087	2 102	6 969	3 885	9	774	432
1970	567	3 281	2 126	13 510	6 012	25 498	11 492	16	1 593	718
1971	427	5 357	1 904	10 264	1 704	19 658	10 679	11	1 787	971
1972	459	2 059	1 026	14 139	15 362	33 053	14 587	15	2 204	972
1973	583	5 784	2 084	7 943	16 943	33 339	31 817	17	1 961	1 872
1974	531	7 882	1 611	7 547	4 460	22 034	20 319	13	1 695	1 563
1975	558	1 152	1 901	6 026	2 483	12 128	11 934	10	1 213	1 193
1976	492	4 395	1 197	12 790	6 044	24 925	26 712	14	1 780	1 908
1977	926	6 237	1 981	12 814	2 696	24 661	29 697	16	1 541	1 856
1978	886	11 107	1 108	12 326	8 901	34 337	57 796	13	2 641	4 446

T R O L L

	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>	<u>TOTAL</u>	<u>VALUE</u>	<u>DELIVERIES</u>	<u>CATCH PER</u>	<u>VALUE PER</u>
	Tonne	Tonne	Tonne	Tonne	Tonne	Tonne	\$ 000	' 000	Kg.	\$
1969	4 911	487	5 768	1 841	26	13 037	11 729	139	94	85
1970	4 503	1 202	7 859	2 410	158	16 135	16 804	155	104	108
1971	6 901	1 934	9 699	2 858	60	21 456	18 489	156	138	119
1972	6 377	116	7 206	1 389	54	15 146	17 409	141	107	123
1973	5 769	467	7 370	2 644	115	16 368	27 893	132	124	211
1974	6 123	2 786	7 078	974	76	17 043	27 007	126	135	214
1975	5 701	305	4 312	1 861	60	12 241	19 965	121	102	165
1976	6 257	288	6 948	1 254	37	14 790	39 405	134	110	294
1977	5 467	358	6 519	6 439	107	18 893	44 612	147	129	303
1978	6 004	3 395	6 763	686	313	17 165	61 681	150	114	411

* Tonne = 1 metric ton = 1000 Kg.

Note: Totals include steelhead

LANDINGS OF SALMON BY SPECIES AND AREA1969 - 1978QUEEN CHARLOTTE ISLAND - (AREAS 1,2,E, 2W)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1969	99	47	322	78	141
1970	109	60	417	1 259	590
1971	126	60	375	105	422
1972	115	72	465	1 370	455
1973	96	33	245	58	550
1974	145	59	285	560	237
1975	165	43	192	89	56
1976	148	21	282	1 647	54
1977	133	83	157	174	196
1978	143	22	459	563	137

NASS, SKEENA, GRENVILLE & PRINCIPE - (AREAS 3,4, 5)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1969	115	786	177	721	107
1970	94	801	307	3 127	299
1971	114	1 112	274	1 392	141
1972	153	981	465	3 053	588
1973	123	1 900	209	983	356
1974	106	1 917	159	568	295
1975	101	648	135	1 036	62
1976	64	892	147	894	54
1977	60	1 615	197	3 867	387
1978	56	728	251	3 429	254

BUTEDALE, BELLA BELLA, BELLA COOLA - (AREAS 6,7, 8)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1969	67	87	161	100	353
1970	107	253	537	6 195	1 440
1971	89	229	346	570	422
1972	152	257	594	8 090	1 342
1973	113	333	401	877	1 687
1974	136	259	402	3 973	918
1975	125	281	185	325	315
1976	111	273	352	2 943	497
1977	81	167	134	863	212
1978	99	145	291	4 804	686

RIVERS AND SMITH INLETS - (AREAS 9, 10)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1969	21	903	71	30	65
1970	15	102	72	263	155
1971	16	546	45	29	25
1972	28	439	74	842	61
1973	30	2 078	76	102	90
1974	17	468	30	538	56
1975	24	94	38	31	14
1976	36	710	136	700	25
1977	41	724	86	253	57
1978	22	813	58	236	96

LANDINGS OF SALMON BY SPECIES AND AREA1969 - 1978JOHNSTONE STRAIT - (AREAS 12, 13)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1969	96	529	221	464	485
1970	90	1 054	348	2 341	753
1971	90	640	336	3 488	94
1972	78	558	133	730	1 362
1973	76	375	201	1 818	2 296
1974	85	1 190	169	1 549	248
1975	89	184	155	1 367	380
1976	104	445	485	3 774	438
1977	132	616	304	1 847	164
1978	135	3 312	286	1 270	1 251

JUAN DE FUCA STRAIT - (AREA 20)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1969	40	636	267	419	18
1970	115	845	481	10	26
1971	58	1 574	605	1 101	24
1972	42	546	166	6	202
1973	59	1 406	475	1 391	174
1974	50	1 218	444	2	80
1975	31	90	412	618	41
1976	41	694	252	22	113
1977	75	576	514	874	22
1978	28	476	106	1	55

WEST COAST OF VANCOUVER ISLAND - (AREAS C,21,22,23,24,25,26,27)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1969	469	236	1 109	485	6
1970	411	348	1 393	312	137
1971	694	656	2 394	976	108
1972	623	147	1 167	59	1 485
1973	669	358	1 636	837	460
1974	688	1 063	1 893	139	236
1975	612	447	962	655	136
1976	738	994	1 894	239	118
1977	625	1 212	1 671	1 757	24
1978	621	911	1 389	108	233

FRASER RIVER - (AREAS 28,29 A&B, 29C,29D)

(Thousands of Fish)

<u>YEAR</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>
1969	87	957	23	255	89
1970	133	574	99	1	179
1971	140	1 317	70	626	22
1972	123	527	81	-	256
1973	100	1 063	54	284	191
1974	87	714	57	*	93
1975	94	428	45	356	73
1976	82	558	17	1	174
1977	99	1 176	44	294	14
1978	63	581	72	1	125

* Less than 500

B.C. SALMON LANDINGS BY MONTH 1974 - 1978

Metric Tons - (Landed Weight)

YEAR	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	TOTAL
<u>SPRINGS</u>													
1974	:	11	11	398	961	1 306	2 082	1 184	499	259	8	*	6 719
1975	:	2	6	315	855	1 442	1 898	712	917	272	16	1	6 436
1976	:	9	10	347	858	1 359	2 168	1 240	602	240	7	*	6 840
1977	:	4	12	371	762	1 110	1 901	1 512	746	274	10	*	6 702
1978	1	15	28	376	806	1 365	2 319	1 162	560	339	16	*	6 987
<u>SOCKEYE</u>													
1974	:	:	:	*	5	514	9 813	9 671	1 187	86	1	:	21 277
1975	:	:	:	*	6	346	3 741	1 113	398	31	:	:	5 635
1976	:	:	:	*	10	662	7 187	3 895	525	17	:	:	12 296
1977	:	:	:	*	5	934	11 454	4 483	432	25	*	:	17 333
1978	:	:	:	*	3	896	6 620	13 030	1 134	126	4	:	21 813
<u>COHO</u>													
1974	:	:	:	:	:	1 051	3 228	2 414	1 951	653	22	*	9 319
1975	:	:	:	:	:	303	2 117	1 638	2 375	652	4	1	7 090
1976	:	:	:	:	1	966	3 088	2 047	1 452	709	9	10	8 282
1977	:	:	:	:	*	537	2 565	2 994	2 452	318	15	*	8 881
1978	:	:	:	:	*	1 064	2 860	1 904	1 908	371	31	2	8 140
<u>PINKS</u>													
1974	:	:	:	*	*	45	6 116	4 438	460	2	:	:	11 061
1975	:	:	:	*	*	32	1 676	3 930	4 249	73	*	:	9 960
1976	:	:	:	*	*	16	6 027	8 016	2 799	10	:	:	16 868
1977	:	:	:	*	1	52	8 603	12 123	2 943	36	2	:	23 760
1978	:	:	:	*	1	42	7 966	6 817	400	2	*	:	15 228
<u>CHUMS</u>													
1974	:	:	:	*	1	64	2 495	5 021	1 578	3 047	257	4	12 467
1975	:	:	:	*	*	46	707	1 112	963	2 460	3	89	5 380
1976	:	:	:	*	1	22	1 874	1 975	2 090	4 810	4	141	10 917
1977	:	:	:	*	2	137	2 737	1 381	1 291	454	10	6	6 018
1978	:	:	*	*	1	272	3 552	2 961	3 132	5 351	531	8	15 808
<u>STEELHEAD</u>													
1974	:	:	*	*	*	4	24	16	3	1	*	*	48
1975	:	:	*	1	1	5	15	15	10	2	:	:	49
1976	:	:	:	*	1	5	13	13	8	6	*	*	46
1977	:	:	:	*	*	5	24	22	7	1	*	*	59
1978	:	:	:	1	*	7	26	17	5	1	*	*	57

* Less than 500 Kg.

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1978

QUANTITY SHOWN IN METRIC TONS

PAGE: 17

(Gillnet and Seine - Round Weight

Troll - Dressed Weight Head-On)

SALMON TOTAL B.C.

		<u>JANUARY</u> Jan. 1 - Feb. 4	<u>FEBRUARY</u> Feb. 5 - Mar. 4	<u>MARCH</u> Mar. 5 - Apr. 1	<u>APRIL</u> Apr. 2 - May 6	<u>MAY</u> May 7 - June 3	<u>JUNE</u> June 4 - July 1	<u>JULY</u> July 2 - Aug. 5	<u>AUGUST</u> Aug. 6 - Sept. 2	<u>SEPTEMBER</u> Sept. 3 - Sept. 30	<u>OCTOBER</u> Oct. 1 - Nov. 4	<u>NOVEMBER</u> Nov. 5 - Dec. 2	<u>DECEMBER</u> Dec. 3 - Dec. 30	TOTAL
Spring Salmon	Red G.N.				11	46	147	199	100	102	98	10		713
	Seine					*	64	356	218	45	3	*		686
	Jacks G.N.				*	*	9	18	9	7	13	2		58
	Seine					*	25	65	34	10	5	*		139
	White G.N.				*	4	19	49	23	73	58	*	*	226
	Seine						5	41	9	6	*			61
	Mixed Troll	1	15	28	365	756	1 096	1 591	769	317	162	4		5 104
Sockeye	G.N.					3	740	4 645	1 571	755	105	*		7 819
	Seine					*	149	1 584	9 136	237	1			11 107
	Troll				*	*	7	391	2 323	142	20	4		2 887
Coho	G.N.					*	19	232	420	435	149	24	2	1 281
	Seine					*	15	321	318	394	58	2		1 108
	Troll					*	1 030	2 307	1 166	1 079	164	5		5 751
Pinks	G.N.					1	6	1 196	1 078	37	1			2 319
	Seine						16	6 456	5 503	350	1			12 326
	Troll				*	*	20	314	236	13	*	*		583
Chums	G.N.				*	*	156	1 719	2 241	816	1 542	159	8	6 641
	Seine						102	1 760	589	2 294	3 784	372		8 901
	Troll			*	*	1	14	73	131	22	25	*		266
Steelhead	G.N.				1	*	5	20	15	3	1	*	*	45
	Seine						1	4	2	2	*			9
	Troll				*	*	1	2	*	*	*			3
Deliveries	G.N.				399	1 211	9 577	24 856	16 205	9 027	7 121	337	29	68 762
	Seine					12	1 281	4 497	3 563	1 891	1 667	192		13 103
Days Fishing	Troll	17	512	701	7 741	17 373	28 535	38 991	31 855	18 341	5 448	256		149 770

* Less than 500 Kg.

REVISED CATCH STATISTICS BY AREA - IN PIECES 1978

TOTAL B.C.

	RED		JACKS		WHITE		MIXED TROLL	SOCKEYE			COHO		
	GN	SEINE	GN	SEINE	GN	SEINE		GN	SEINE	TROLL	GN	SEINE	TROLL
Total January							207						
Total February							4 206						
Total March							6 733						
Total April	1 536		23		31		109 818			1			
May 7 - May 13	1 295		2		52		44 503						11
May 14 - May 20	1 002		5		48		38 936			2			7
May 21 - May 27	1 193		15		81		50 957						
May 28 - June 3	1 873	11	23	75	158		48 880	1 244	158	4	46	2	34
TOTAL	5 353	11	45	75	339		183 276	1 244	158	6	46	2	52
June 4 - June 10	2 631	638	468	1 774	223	5	65 539	9 807	3 689	259	19	11	94
June 11 - June 17	3 895	922	1 038	3 941	359	72	40 485	50 937	7 919	312	129	147	56 774
June 18 - June 24	6 908	1 742	2 012	5 293	680	158	49 755	77 240	27 661	1 394	2 754	2 033	273 788
June 25 - July 1	4 356	5 031	1 756	7 265	454	311	57 693	110 319	20 119	811	5 337	5 102	301 067
TOTAL	17 790	8 333	5 274	18 773	1 716	546	213 472	248 303	59 288	2 776	8 288	7 293	631 723
July 2 - July 8	7 889	10 359	2 817	10 424	1 278	1 956	58 375	367 575	58 351	1 722	16 115	20 193	299 716
July 9 - July 15	3 574	10 254	2 793	12 987	296	1 408	78 606	604 587	104 877	10 079	13 806	26 092	325 140
July 16 - July 22	2 192	2 681	886	3 361	239	202	36 070	157 258	38 964	3 907	6 255	10 593	158 338
July 23 - July 29	7 889	9 648	1 891	8 058	1 537	742	58 147	174 148	168 447	20 822	19 635	29 829	166 118
July 30 - Aug. 5	5 346	8 907	1 667	8 943	1 456	619	46 387	119 314	187 360	111 115	26 148	47 497	156 933
TOTAL	26 890	41 829	10 054	43 773	4 806	4 927	277 585	1 422 892	557 999	147 645	81 959	134 204	1 106 245
Aug. 6 - Aug. 12	2 480	8 526	1 268	8 469	342	399	39 619	91 052	314 896	368 729	34 571	45 589	108 123
Aug. 13 - Aug. 19	3 424	9 877	951	9 389	605	495	36 349	112 240	863 955	265 555	33 842	27 478	114 860
Aug. 20 - Aug. 26	6 259	4 991	2 038	4 475	1 045	275	27 288	255 464	1 578 843	97 851	37 424	26 902	73 511
Aug. 27 - Sept. 2	2 600	1 930	1 147	1 951	718	109	29 157	68 025	194 835	129 329	20 945	13 623	126 067
TOTAL	14 763	25 324	5 404	24 284	2 710	1 278	132 413	526 781	2 952 529	861 464	126 782	113 591	422 561
Sept. 3 - Sept. 9	5 946	158	1 565	307	1 818	7	24 088	112 315	1 261	26 762	21 089	6 475	168 165
Sept. 10 - Sept. 16	5 452	2 387	1 397	1 671	4 978	215	17 615	62 537	74 809	12 150	52 741	51 176	89 530
Sept. 17 - Sept. 23	927	1 525	681	3 140	189	366	14 974	5 639	3 717	11 280	27 913	39 418	79 734
Sept. 24 - Sept. 30	549	540	416	1 825	829	89	12 376	68 399	2 691	3 095	19 634	13 741	26 519
TOTAL	12 874	4 610	4 059	6 943	7 814	677	69 053	249 488	82 478	53 287	121 377	110 810	363 948
Oct. 1 - Oct. 7	1 215	160	715	1 023	4 293	38	10 079	34 132	80	3 361	16 959	10 376	21 004
Oct. 8 - Oct. 14	285	92	583	991	97	16	5 536	372	16	1 579	4 668	2 421	9 370
Oct. 15 - Oct. 21	2 516	59	1 710	469	659	2	7 659	1 717	1	458	11 073	1 254	5 369
Oct. 22 - Oct. 28	4 948	5	2 721	374	454	1	6 641	544	2	1 226	11 845	506	3 946
Oct. 29 - Nov. 4	2 879	88	1 942	578	13	4	5 769	20		89	4 340	283	4 362
TOTAL	11 843	402	7 671	3 435	5 516	61	35 684	36 785	99	6 713	48 885	14 840	44 051
Nov. 5 - Dec. 2	1 022	8	981	43	14		976	28		1 045	10 192	543	1 564
Dec. 3 - Dec. 30					4						814		
TOTAL	92 071	80 517	33 511	97 326	22 950	7 489	1 033 423	2 485 511	3 652 551	1 072 937	398 343	381 283	2 570 144

REVISED CATCH STATISTICS BY AREA - IN PIECES - 1978

TOTAL B.C.

PAGE: 19

	PINKS			CHUMS			STEELHEAD			DELIVERIES		DAYS FISHING
	GN	SEINE	TROLL	GN	SEINE	TROLL	GN	SEINE	TROLL	GN	SEINE	TROLL
Total January												17
Total February												512
Total March						4						701
Total April			6	3		47	64		2	399		7 741
May 7 - May 13			3			20	19		1	257		3 486
May 14 - May 20			13	8		23	25		1	248		4 069
May 21 - May 27			13	1		50	13		1	285		4 821
May 28 - June 3	585		43	68		63	21		2	421	12	4 997
TOTAL	585		72	77		156	78		5	1 211	12	17 373
June 4 - June 10	9		198	14	4	123	56	6	1	966	74	6 200
June 11 - June 17	1	7	620	1 993	1 777	213	124	10	10	2 353	220	5 091
June 18 - June 24	376	6 571	5 258	7 340	5 627	792	495	48	92	3 004	472	8 577
June 25 - July 1	2 941	5 409	9 759	11 762	10 181	1 632	612	78	78	3 254	515	8 667
TOTAL	3 327	11 987	15 835	21 109	17 589	2 760	1 287	142	181	9 577	1 281	28 535
July 2 - July 8	19 066	158 246	17 932	31 654	39 164	933	766	216	107	6 479	776	8 386
July 9 - July 15	45 105	551 906	39 153	36 548	66 604	2 302	924	294	87	6 742	1 079	10 145
July 16 - July 22	74 145	724 790	25 804	17 220	53 562	1 391	539	67	90	1 665	453	4 500
July 23 - July 29	376 855	1 661 015	78 136	86 927	71 273	3 810	1 144	191	27	5 267	1 140	7 755
July 30 - Aug. 5	229 816	1 643 781	76 378	118 700	45 301	7 984	704	153	42	4 703	1 049	8 205
TOTAL	744 977	4 739 738	237 403	291 049	275 904	16 420	4 077	921	353	24 856	4 497	38 991
Aug. 6 - Aug. 12	219 027	1 206 473	69 743	118 315	47 195	14 981	947	173	58	3 723	963	9 371
Aug. 13 - Aug. 19	248 733	1 108 869	50 629	129 014	29 674	10 174	1 387	188	131	4 367	924	8 595
Aug. 20 - Aug. 26	121 231	853 567	27 019	114 408	12 411	3 056	458	115	18	4 862	1 050	6 020
Aug. 27 - Sept. 2	70 582	484 323	17 326	68 884	16 349	3 655	191	19	29	3 253	626	7 869
TOTAL	659 573	3 653 232	164 717	430 621	105 629	31 866	2 983	495	236	16 205	3 563	31 855
Sept. 3 - Sept. 9	17 561	198 467	5 479	19 816	7 499	2 130	165	4	13	2 206	123	6 233
Sept. 10 - Sept. 16	1 949	24 502	2 918	21 276	48 613	986	244	51	24	3 074	564	4 925
Sept. 17 - Sept. 23	131	1 925	689	37 224	119 403	1 364	103	84	10	1 247	580	4 512
Sept. 24 - Sept. 30	57	556	280	93 966	265 496	1 037	51	41	2	2 500	624	2 671
TOTAL	19 698	225 450	9 366	172 282	441 011	5 517	563	180	49	9 027	1 891	18 341
Oct. 1 - Oct. 7	21	74	108	69 165	182 498	934	82	21	8	2 654	441	1 777
Oct. 8 - Oct. 14	1	900	35	49 013	176 932	950	25	3	4	765	437	1 219
Oct. 15 - Oct. 21		1	24	95 909	188 098	3 444	31	5		1 723	404	945
Oct. 22 - Oct. 28			22	59 398	118 964	561	22	1	1	1 550	88	881
Oct. 29 - Nov. 4	180		26	29 955	76 028	372	18	17		429	297	626
TOTAL	202	975	215	303 440	742 520	6 261	178	47	13	7 121	1 667	5 448
Nov. 5 - Dec. 2			42	31 809	74 104	65	4			337	192	256
Dec. 3 - Dec. 30				1 540			14			29		
TOTAL	1 428 362	8 631 382	427 656	1 251 930	1 656 757	63 096	9 248	1 785	839	68 762	13 103	149 770

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1978

OTHER FISH

QUANTITY SHOWN IN METRIC TONS

TOTAL B.C.

PAGE: 20

			JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
			Jan. 1 - Feb. 4	Feb. 5 - Mar. 4	Mar. 5 - Apr. 1	Apr. 2 - May 6	May 7 - Jun 3	June 4 - July 1	July 2 - Aug. 5	Aug. 6 - Sept. 2	Sept. 3 - Sept. 30	Oct. 1 - Nov. 4	Nov. 5 - Dec. 2	Dec. 3 - Dec. 30	
Herring	G.N.		2	950	36 341	22								7	37 322
	Selne		2 942	6	25 990	64	15	8	17	14	5	92	1 648	9 545	40 346
	Trawl		234										580	2 918	3 732
Halibut	Lge.	L.L.					340	135	500	285	190	4			1 452
	Med.	L.L.					659	168	657	365	244	4			2 097
	No. 2	L.L.					23	8	32	32	37	6			138
	Mixed	L.L.					30	1	9	8	9				57
Mixed	H.L.&T.				*	30	17	41/Trawl*	26	5	1			120/Trawl*	
Sole	Brill	Trawl	4	1		4	71	62/Other*	41/Other*	17	9/Other*	14	3/Other*	*/Other*	226/Other*
	Butter	Trawl		2		1	1								4
	Dover	Trawl	56	8		1	155	64	131	61	98	77	5	*	656
	Lemon	Trawl	139/Other*	49	7	73/Other*	102	130	114	32	16	41	39/Other*	23/Other*	765/Other*
	Rox	Trawl	3	*		*	6	11	8	3	40	23	1	1	96
	Rock	Trawl	50	39	12	163	248	143/Other*	143	183	200	74	25	7	1287/Other*
	Mixed	Trawl	5/Other*	2	1/Other*	3/Other*	5	3	1	5/Other*	8/Other*	6/Other*	1/Other1	3/Other*	41/Other1
Total	Trawl	257/Other*	101	20/Other*	245/Other*	586	413/Other*	438	301/Other*	371/Other*	235/Other*	74/Other1	34/Other*	3075/Other1	
Rockfish	H.L.&T.		2	2	4	18	30	23	23	14	15	20	12	14	177
	L.L.		13	1	*/Other*	1/Other5	31/Other3	9/Other2	38	17	34/Other*	18/Other*	18/Other*	5	185/Other10
	Trawl		539	136	4	396	909	688	1 574	1 397	1 519	2 095	392	284	9 933
Ling Cod	H.L.&T.		7	4	28	71	77	74	87	47	37	82	43	6	563
	L.L.		6	*	12	8	18	4	10	7	10	4	4	*	63
	Trawl		10	15	1	23/Other*	121/Other2	120/Other*	183	43	54	39	51/Other*	2	662/Other2
Grey Cod	H.L.&T.		*/Other*	1/Other*	19/Other*	1	1/Other*	2/Other*	1/Other1	*/Other*	1/Other*	*/Other*	1/Other1	4/Other*	31/Other2
	Trawl		437	688	108	592	743	552	792	406	377	293	247	128	5 363
Black Cod	L.L.		*				4/Other*	2/Other*	7/Other*	5/Other*	6/Other1	5/Other1	9	*	38/Other2
	Trawl		5	*	*	2	5	5	15	16	16	29	*	*	93
	Trap						55	103	65	24	69	19	39	49	423
Non-Food Fish	Trawl		9	3	*	*	5	3	10	3	2	56	3	8	102
Flounders	Trawl		13	8	1	12	27/Other2	6	2/Other*	*	2/Other*	4	4/Other*	2	81/Other2
Skate	Trawl		17/Other1	7	*/Other*	15/Other*	26/Other1	13/Other*	21/Other*	10/Other*	15/Other*	11/Other*	3/Other*	1/Other*	139/Other2
Herring Spawn on Kelp						153									153

8460

* Less than 500 Kg.

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1978

TOTAL B.C.

OTHER FISH
QUANTITY SHOWN IN METRIC TONS

PAGE: 21

		JANUARY Jan. 1 - Feb. 4	FEBRUARY Feb. 5 - Mar. 4	MARCH Mar. 5 - Apr. 1	APRIL Apr. 2 - May 6	MAY May 7 - June 3	JUNE June 4 - July 1	JULY July 2 - Aug. 5	AUGUST Aug. 6 - Sept. 2	SEPTEMBER Sept. 3 - Sept. 30	OCTOBER Oct. 1 - Nov. 4	NOVEMBER Nov. 5 - Dec. 2	DECEMBER Dec. 3 - Dec. 30	TOTAL
Eulachons	G.N.				35	3								38
Sturgeon	G.N.				6	8	4	2	3	1	1	*		25
	Trawl		1		2	*Other*				/Other 1	/Other*	*		3/Other 1
Tuna	Seine													
	H.L.&T.						*	3	18	2				23
Octopus	H.L.&T.				*	*L.L.*	*	*L.L.*	L.L.*	2/L.L. 1	*L.L.*	*L.L.*	2/L.L. 1	2/L.L. 1
	Trawl	2	2	*	1	1	1	1	*	1	2	1	1	14
	Other	*	1	*Trap*	1	*	*Trap*	*Trap*	*	1/Trap 1	1/Trap*	*Trap*	4/Trap 1	4/Trap 1
Smelt	G.N.					*	1	*	1					2
	Seine													
Turbot	Trawl	37	16	*	43	258	895	431	155	246	173	44	2	2 300
Pollock	Trawl	345	534	2	92	393	352	123	63	179	131	44	112	2 370
Other Fish	H.L.&T.					*	*	*	*	*	1	*		1
	Trawl	23	6		10	19	35	43	87	1 955	19	18	48	2 263
	Other	1		*	7	14					16	78	33	149
Dogfish	L.L.	394	130	49	59	11	2	7	28	73	330	778/Other*	297/Other 1	2158/Other 1
	Trawl	161	155	7	62	42	5	2	*	64	143	256	94	991
Salmon Roe					*	*	2	21	43	33	10	*	*	109
Deliveries Herr.	G.N.	1	930	13 988	5								5	14 929
	Seine	112	6	697	8	12	21	18	15	10	7	83	233	1 222
Days Fishing	H.L.&T.	83	64	360	826	880	847	746	684	680	1 033	629	203	7 035
	L.L.	324	119	86	85	3 148	833	2 356	1 410	1 569	369	665	297	11 261
	Trawl	630/HERR 44	538	164	366	637	654	528	371	541	506	333/HERR 57	300/HERR 88	5568/HERR 189
	Beach Seine			2	7	8								17
	Trap			1		24	70	30	16	28	13	51	35	268
	Other G.N.				190	20	22	2	25			5	1	265
	Other Gears	57	63	110	1 955	141	144	220	217	105	195	157	55	3 419

* Less than 500 Kg.

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1978

PAGE: 22

SHELLFISH

TOTAL B.C.

QUANTITY SHOWN IN METRIC TONS

			<u>JANUARY</u> Jan. 1 - Feb. 4	<u>FEBRUARY</u> Feb. 5 - Mar. 4	<u>MARCH</u> Mar. 5 - Apr. 1	<u>APRIL</u> Apr. 2 - May 6	<u>MAY</u> May 7 - June 3	<u>JUNE</u> June 4 - July 1	<u>JULY</u> July 2 - Aug. 5	<u>AUGUST</u> Aug. 6 - Sept. 2	<u>SEPTEMBER</u> Sept. 3 - Sept. 30	<u>OCTOBER</u> Oct. 1 - Nov. 4	<u>NOVEMBER</u> Nov. 5 - Dec. 2	<u>DECEMBER</u> Dec. 3 - Dec. 30	TOTAL
<u>SHRIMP</u>	Prawns	Trawl	1	1	1	1	2	*	1	1	*	1	*	*	9
		Traps	19	20	8	15	12	17	5	14	7	21	40	33	211
	Mixed	Trawl	2	15	16	38	126	672	149	118	63	91	36	12	1 338
		Traps	1			*	*		*	*	*	3	3	4	11
<u>SHRIMP DAYS</u>	Trawl	66	288	240	277	216	348	277	227	209	327	321	173	2 969	
	Traps	277	341	127	256	178	265	159	335	180	379	592	628	3 717	
<u>CLAMS</u>	Razor			2	12	16	7	*				7	3	47	
	Butter	82	47	6	35	71	7	6	3	2	13	77	34	383	
	Japanese Littleneck	69	56	65	102	108	135	104	34	30	18	13	19	753	
	Native Littleneck	13	10	11	19	27	26	26	6	4	*	5	12	159	
	Mixed	1	2	4	23	36	18	27	5	4	4	60	61	245	
<u>ABALONE</u>		10		74	151	198								433	
<u>ABALONE DAYS</u>		43		188	417	523								1 171	
<u>CRABS</u> Lb. in shell	Traps	32/Trawl 1	26/Trawl 1	23	68	152	144/Trawl*	167/Trawl*	94/Trawl*	181/Trawl*	171/Trawl*	72/Trawl*	44/Trawl*	1174/Trawl 2	
<u>CRAB DAYS</u>	Traps	487/Trawl 5	422/Trawl 2	493	722	489	536	1 104	794	887/Trawl 1	1020/Trawl 5	690/Trawl 2	483/Trawl 2	8127/Trawl 17	
<u>GEODUCKS</u>		23	26	54	103	60	137	169	159	105	108	53	19	1 016	
<u>OYSTERS</u> Shucked - U.S. Gal.		6 799	5 386	7 251	7 534	8 680	6 744	4 720	4 570	4 273	5 456	7 533	7 869	76 815	

* Less than 500 Kg.