

~~OPERATIONS~~

Set 1

DO NOT REMOVE

Diana McNeil  
666-3784



Environment  
Canada

Environnement  
Canada

Fisheries  
and Marine

Pêches et  
sciences de la mer

STATISTICS COPY  
DO NOT REMOVE

DO NOT REMOVE

# Annual Summary of

# BRITISH COLUMBIA CATCH STATISTICS

## 1973

PACIFIC REGION

ANNUAL SUMMARY  
OF  
BRITISH COLUMBIA CATCH STATISTICS  

---

1973

---

TABLE OF CONTENTS

	<u>PAGE</u>	<u>PAGE</u>
Table of Contents and Foreword	1	
1973 Highlight	3	
Statistical Areas Map	4	
District Summary of Catch Statistics	5	
Summary of Catch Statistics	6&7	
Total Numbers of Salmon Caught - by Area	8	
Total Weight of Salmon Caught - by Area	9	
Salmon Catch by Species in Areas of Highest Catch	10	
		Total Salmon Landings by Species and Gear 11
		Landings of Salmon - by Species and Gear, 1964-1973 (Thousands of Pounds) 12
		Landings of Salmon - by Species and Area, 1964-1973 (Thousands of Fish) 13&14
		B.C. Salmon Landings by Month, 1969-1973 (Thousands of Pounds) 15
		Total Catch of Fish and Shellfish by Species, Gear and Month in 1973 17-22

\*\*\*\*\*

FOREWORD

This annual summary of British Columbia Catch Statistics follows the format originally used in 1969. It will be followed by a detailed Annual Report to be made available on written request.

Preliminary monthly reports are issued throughout the year which summarize landings and values by species. This Annual Summary includes revisions of these data and represents final statistics for 1973.

Because fish buyers do not report prices paid to fishermen for net caught salmon, minimum prices the fishermen's union and the fishing industry negotiated have been used to value net caught salmon. However, heavy demand for protein foods, shrinking salmon supplies, disappointing Japanese and Alaskan salmon catches, and keen competition for exceptional 1973 British Columbia salmon catches encouraged buyers to offer prices greatly in excess of these minimum prices. Accordingly, a new series of prices more accurately representing those paid to salmon fishermen were assembled and used to revise the preliminary values.

The revision together with the inclusion of four million pounds of salmon reported on sales slips received too late to be included in the preliminary reports, resulted in raising the preliminary landed value of all salmon from \$86 million to \$100 million. 1973 salmon values are no longer comparable with those of previous years. In the future every attempt will be made to report the value of the catch as near as possible to represent actual return to fishermen.

Weights shown may be dressed or round, and are indicated on table headings. Some totals may differ slightly due to rounding.

Monthly periods do not coincide with calendar months, but are held constant as four or five weekly periods for historical comparison. Four week periods are March, May, June, August, September and November; Five weeks: January, April, July and October.

Halibut landings include fish delivered to U.S. ports by Canadian fishermen under international agreement.



This report was compiled by the staff of the Market Intelligence Unit under the direction of Mr. J. D'Andrea and from summaries developed by the Data Processing Unit under the direction of Mr. H. Hsu.

DEPARTMENT OF THE ENVIRONMENT,  
FISHERIES AND MARINE SERVICE,  
1090 W. PENDER STREET,  
VANCOUVER, B.C. V6E 2P1

W. R. Hourston,  
Director of Fisheries,  
Pacific Region.

C.H.B. Newton,  
Special Economic Programs  
and Intelligence Branch.



FEBRUARY 7, 1974





1973 was the best year ever experienced by B.C. fishermen; the landed value of all fish reaching \$130.4 million, \$55.3 million greater than the previous record of \$75.1 million for 1972. Nearly \$50 million of this phenomenal increase is directly attributable to the salmon fishery and the unprecedented prices paid for B.C. salmon resulting from strong world demand and disappointing salmon catches in other countries. The chum salmon runs along the B.C. coast, second only to 1954, produced 6.2 million fish. Milbanke Sound yielded nearly 1.3 million chum, the best run recorded. The harvest of 2.3 million chum in the waters of Johnstone Strait and Discovery Passage was the highest ever. The 1973 sockeye fishery produced 7.6 million fish, the best return since 1958. The largest sockeye run ever to the Nass River produced 560,000 fish.

Pacific halibut landings by the combined United States and B.C. fleet in 1973 was 33.7 million pounds, the lowest recorded catch since 1914. This year B.C. fishermen caught 14.5 million pounds (43 percent) of the total Pacific halibut catch, receiving an average price of 74¢ per pound, the highest on record.

Roe demands for food herring have resulted in a landed value in excess of all previous recorded value.





## DISTRICT SUMMARY OF CATCH STATISTICS FOR B.C. - 1973

AS REPORTED ON SALES SLIPS

(Landed Weight)

SPECIES	NORTH COAST <sup>(1)</sup> '000 lb.	SOUTH COAST <sup>(1)</sup> '000 lb.	FRASER AREA <sup>(1)</sup> '000 lb.	TOTAL '000 lb.	LANDED VALUE \$ '000
Springs	3 957	9 117	1 681	14 755	13 986
Sockeye	28 460(4)	12 569	6 274	47 303	26 497
Coho	6 297	15 652	421	22 370	18 910
Pinks	7 502	19 440	1 577	28 519	7 882
Chums	30 785	39 046	2 302	72 133	32 670
Steelhead	92	23	9	124	53
TOTAL SALMON	77 093	95 847	12 264	185 204	99 998
Salmon Roe	43	100	6	149	218
Herring	44 748	77 882		122 630	10 951
Halibut	13 469	1 003		14 472(2)	10 698
Soles	4 900	1 816	42	6 758	698
Red & Rock Cod	1 151	1 623	*	2 774	179
Ling Cod	491	2 783	3	3 277	701
Grey Cod	7 531	5 728	10	13 269	1 304
Black Cod	829	606		1 435	474
Ocean Perch	2 719	657		3 376	203
Non-Food Fish	714	9		723	17
Flounder	95	48	1	144	8
Skate	134	53	1	188	11
Eulachons			117	117	27
Sturgeon	*	6	33	39	15
Tuna	749	2 050		2 799	1 224
Octopus	11	61	*	72	19
Smelt	1	1	6	8	2
Grayfish	1 826	9 549	180	11 555	510
Other Fish	1 552	2 312	12	3 876	320
Shrimps - in shell	204	1 220	305	1 729	508
Clams - in shell	179	1 396		1 575	196
Abalone	62	88		150	94
Crabs - in shell	1 199	821	560	2 580	1 159
Oysters				131 649(3)	875
TOTAL				388 773	130 409

(1) See statistical map on page 3.

(2) A total of 4,629,312 pounds of halibut valued at \$3,350,212 landed by B.C. fishermen at U.S. ports is included above.

(3) Oyster total converted from gallons to pounds for inclusion in total.

(4) Includes 311,000 pounds sockeye valued at \$220,000 taken at the Sabine Lake counting fence for commercial purposes.

## SUMMARY OF CATCH STATISTICS - BRITISH COLUMBIA - 1973

1973 landings by B.C. Fishermen at Canadian and U.S. ports reached a total of 388.8 million pounds, valued at an all time record \$130.4 million.

## B. C. Landings and Value - 1964 - 1973

	Millions of pounds	\$ Million
1964	712.3	49.2
1965	626.1	48.2
1966	574.7	61.5
1967	333.0	49.6
1968	268.8	57.4
1969	174.0	47.4
1970	238.5	60.3
1971	228.0	58.6
1972	337.5	75.1
1973	388.8	130.4

## HALIBUT

Due to scarcity of fish on the grounds, the 1973 catch of halibut was the smallest since 1945 when British Columbia fishermen landed 15.1 million pounds at Canadian and U.S. ports. This year's catch of 14.5 million pounds worth \$10.7 million was 7.6 million pounds (34 per cent) and \$3 million (22 per cent) less than in 1972. The average unit price reached an all-time high of 74¢ per pound and was almost 12¢ per pound more than was paid to fishermen in 1972.

Year	Landings in British Columbia		Canadian Landings at U.S. Ports, re- ported by Halibut Commission		Total Landings	
	Mill. of lb.	\$000's	Mill. of lb.	\$000's	Mill. of lb.	\$000's
1964	25.1	6 270	8.2	2 039	33.3	8 309
1965	25.8	8 699	7.2	2 413	33.0	11 112
1966	24.5	8 687	7.5	2 784	32.0	11 471
1967	19.7	5 068	6.5	1 563	26.2	6 631
1968	22.5	5 628	6.9	1 720	29.4	7 348
1969	27.2	11 578	6.6	2 822	33.8	14 400
1970	20.0	7 242	9.5	3 346	29.5	10 588
1971	16.0	5 214	9.3	2 924	25.3	8 138
1972	15.2	9 373	6.9	4 311	22.1	13 684
1973	9.9	7 348	4.6	3 350	14.5	10 698

## HERRING

The 1973 herring catch of 122.6 million pounds was 43 per cent higher than the previous year's catch of 86 million; the landed value was also up (300 per cent) with fishermen receiving \$11 million, compared with \$2.7 million in 1972, primarily the result of roe demand.

## OTHER FISH

Decreased effort in 1973 resulted in a decline in groundfish landings of 8 per cent from last year. 1973 tuna landings of 2.8 million pounds valued at \$1.2 million, were 5 million pounds and \$1.3 million less than the record catch taken in 1972. Grayfish landings were 11.6 million pounds valued at \$510,000, an increase of 11.2 million pounds and \$501,000 compared with the previous year.

Year	Sole	Grey Cod	Ling	Tuna	Total*
( 000's lb. )					
1964	6 068	12 008	3 797	249	30 907
1965	6 408	19 229	4 412	348	39 957
1966	10 477	20 707	5 026	587	50 220
1967	9 056	11 179	4 984	971	37 117
1968	10 035	11 353	6 316	2 633	40 362
1969	10 477	7 573	4 960	3 203	39 445
1970	11 989	5 018	4 603	1 545	33 068
1971	10 680	8 749	4 341	4 011	37 446
1972	7 394	14 978	3 629	7 842	50 555
1973	6 758	13 269	3 277	2 799	50 709

\* Total includes miscellaneous species not specifically shown.

## SHELLFISH

1973 shrimp landings were up 935,000 pounds in volume and \$197,000 in value, from last year. Crab landings increased nearly 604,000 pounds and \$406,000. Clam deliveries, however, were 1.9 million pounds and \$186,000 less than 1972. Oyster production was 21,640 shucked gallons and \$173,000 more than 1972.

Year	Crabs (000's lb.)	Shrimp (green weight)	Clams	Shucked Oysters (U.S. Gal.)
1964	4 351	1 052	1 575	153 449
1965	3 501	1 755	2 097	150 676
1966	4 538	1 682	2 472	165 551
1967	5 301	1 696	2 760	128 945
1968	4 372	1 568	1 501	96 480
1969	3 710	2 119	1 282	121 736
1970	2 548	1 538	2 313	79 698
1971	1 963	735	2 547	84 356
1972	1 976	794	3 438	110 009
1973	2 580	1 729	1 575	131 649

SALMON

The salmon catch of 191 million pounds (round weight) was 21 million pounds greater than in 1972. 1973 values are not comparable with those of previous years because of price anomalies that occurred this year (described on page 1).

The best chum run since 1954 yielded 6.2 million fish. The sockeye catch of 7.6 million fish was the highest since 1958. Coho increased slightly. Spring and pink landings declined.

S P R I N G S

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1964	13 368	968	13.8	5 546
1965	12 669	981	12.9	5 306
1966	15 325	1 163	13.2	6 668
1967	15 355	1 130	13.6	6 681
1968	15 237	1 080	14.1	6 798
1969	14 224	1 098	13.0	7 041
1970	14 474	1 211	12.0	8 082
1971	19 184	1 591	12.1	9 203
1972	18 413	1 550	11.9	10 028
1973	16 659	1 425	11.7	13 986

S O C K E Y E

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1964	22 951	3 619	6.3	8 257
1965	16 221	3 019	5.4	6 015
1966	25 705	4 020	6.4	9 528
1967	37 072	6 743	5.5	13 872
1968	41 390	6 264	6.6	15 630
1969	24 138	4 266	5.7	9 343
1970	25 186	4 077	6.2	9 960
1971	38 203	6 305	6.1	15 910
1972	20 982	3 573	5.9	8 989
1973	47 457	7 600	6.2	26 497

C O H O

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1964	31 656	4 149	7.6	9 255
1965	36 680	4 443	8.3	11 107
1966	38 681	5 412	7.1	11 929
1967	22 518	3 302	6.8	7 125
1968	33 381	5 256	6.4	10 448
1969	17 618	2 412	7.3	6 355
1970	30 091	3 935	7.6	12 563
1971	31 068	4 786	6.5	10 630
1972	23 221	3 357	6.9	11 052
1973	24 802	3 531	7.0	18 910

P I N K S

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1964	36 765	9 628	3.8	4 063
1965	22 933	5 109	4.5	2 668
1966	73 469	17 261	4.3	8 557
1967	51 643	9 818	5.3	6 640
1968	55 600	19 636	2.8	6 996
1969	13 827	2 569	5.4	2 225
1970	52 960	13 600	3.9	8 318
1971	38 866	8 454	4.6	6 528
1972	39 994	14 217	2.8	6 636
1973	29 392	6 522	4.5	7 882

C H U M S

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1964	23 932	2 253	10.6	3 061
1965	6 656	633	10.5	824
1966	15 362	1 311	11.7	1 887
1967	12 142	1 127	10.8	1 611
1968	36 510	3 081	11.9	4 950
1969	13 397	1 309	10.2	2 803
1970	36 972	3 679	10.0	6 416
1971	11 947	1 262	9.5	2 150
1972	66 562	6 074	11.0	13 571
1973	72 171	6 236	11.6	32 670

T O T A L S A L M O N\*

	Quantity '000 lb. round	Pieces '000	Average Size lb.	Landed Value \$'000
1964	128 907	20 641	6.2	30 244
1965	95 294	14 192	6.7	25 958
1966	168 849	29 198	5.8	38 654
1967	138 985	22 145	6.3	36 001
1968	182 340	35 337	5.2	44 887
1969	83 347	11 668	7.1	27 810
1970	159 809	26 513	6.0	45 076
1971	139 446	22 414	6.2	44 476
1972	169 384	28 790	5.9	50 341
1973	190 606	25 324	7.5	99 998

\* Steelhead included in total.

TOTAL NUMBERS OF SALMON CAUGHT IN 1979 BY AREA

(Rounded to Nearest Thousand)

AREA	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS	STELLERAD	TOTAL
<b>NORTH COAST</b>							
Alaska	7	*	*	*	*		7
1	56	31	139	53	54	*	333
2 EAST	35	*	101	4	431	*	571
2 WEST	5	2	5	1	65	*	78
3	28	560	32	223	241	1	1 085
4	43	1 309	73	606	89	4	2 124
5	52	31	104	154	26	*	367
6	27	67	94	418	163		769
7	47	42	202	395	1 273	*	1 959
8	39	224	105	64	251	2	685
9	23	1 783	53	93	47	1	2 000
10	7	295	23	9	43	*	377
30	2	1	17	3	*		23
<b>T O T A L</b>	<b>371</b>	<b>4 345</b>	<b>948</b>	<b>2 023</b>	<b>2 683</b>	<b>8</b>	<b>10 378</b>
<b>SOUTH COAST</b>							
0	45	3	192	29	*	*	269
11	25	10	137	120	27	*	319
12	44	297	134	1 395	1 146	1	3 017
13	32	78	67	423	1 150	*	1 750
14	30	*	47	1	185	*	263
15	22	*	11	*	*	*	33
16	9	16	12	1	169	*	207
17	58	19	5	23	23	*	128
18	6	8	5	12	33	*	64
19 (1)	*	*	*	*			*
20	59	1 406	475	1 391	174	*	3 505
21	49	3	149	41	1	*	243
22	*		2		175	*	177
23	426	261	731	272	98	1	1 789
24	80	43	260	165	1	*	549
25	17	5	51	99	142	*	314
26	31	4	139	91	25	*	290
27	21	39	112	152	13	*	337
<b>T O T A L</b>	<b>954</b>	<b>2 192</b>	<b>2 529</b>	<b>4 215</b>	<b>3 962</b>	<b>2</b>	<b>13 254</b>
<b>FRASER AREA</b>							
29 AB	58	689	36	225	136	*	1 144
29 C	6	51	4	17	13	*	91
29 D	36	323	14	42	42	*	457
<b>T O T A L</b>	<b>100</b>	<b>1 063</b>	<b>54</b>	<b>284</b>	<b>191</b>	<b>*</b>	<b>1 692</b>
<b>B. C. T O T A L</b>	<b>1 425</b>	<b>7 600</b>	<b>3 531</b>	<b>6 522</b>	<b>6 236</b>	<b>10</b>	<b>25 324</b>

(1) Seized Fish

TOTAL WEIGHT OF SALMON CAUGHT IN 1973 BY AREA


( '000 lb.)  
( LANDED WEIGHT )

<u>AREA</u>	<u>SPRINGS</u>	<u>SOCKEYE</u>	<u>COHO</u>	<u>PINKS</u>	<u>CHUMS</u>	<u>STEELHEAD</u>	<u>TOTAL</u>
<b>NORTH COAST</b>							
Alaska	112		1				113
1	698	199	929	203	615	2	2 646
2 EAST	360	7	671	12	4 503		5 553
2 WEST	84	11	38	3	688		824
3	361	3 555	233	796	2 957	10	7 912
4	404	8 126	498	2 391	1 117	49	12 585
5	482	185	626	530	313	1	2 137
6	258	375	564	1 434	2 061	1	4 693
7	548	233	1 375	1 477	14 131	2	17 766
8	387	1 386	765	242	3 207	20	6 007
9	165	12 341	342	360	656	6	13 870
10	68	2 039	153	39	536	1	2 896
30	30	3	102	15	1		151
<b>T O T A L</b>	<b>3 957</b>	<b>28 460</b>	<b>6 297</b>	<b>7 502</b>	<b>30 785</b>	<b>92</b>	<b>77 093</b>
<b>SOUTH COAST</b>							
C	438	15	981	119	2	1	1 556
11	326	54	814	430	229	*	1 847
12	592	1 732	1 032	5 919	13 463	10	22 748
13	274	455	463	1 922	13 571	1	16 686
14	179	*	190	4	2 040	*	2 413
15	137	*	46	2	2		187
16	67	98	78	5	1 964		2 212
17	340	109	28	116	269		856
18	33	45	33	66	388	*	565
19(1)		3		*		*	3
20	429	8 264	3 981	7 436	1 987	5	22 102
21	446	16	857	182	5	*	1 506
22	*		24		2 045		2 069
23	4 123	1 264	3 960	1 145	1 100	5	11 597
24	901	221	1 329	668	9	*	3 128
25	166	26	354	408	1 572	*	2 526
26	382	17	803	404	272	*	1 878
27	284	250	679	614	140	1	1 968
<b>T O T A L</b>	<b>9 117</b>	<b>12 569</b>	<b>15 652</b>	<b>19 440</b>	<b>39 046</b>	<b>23</b>	<b>95 847</b>
<b>FRASER AREA</b>							
29 A&B	913	4 081	287	1 244	1 645	5	8 175
29 C	73	311	28	90	152	*	654
29 D	695	1 882	106	243	505	4	3 435
<b>T O T A L</b>	<b>1 681</b>	<b>6 274</b>	<b>421</b>	<b>1 577</b>	<b>2 302</b>	<b>9</b>	<b>12 264</b>
<b>B.C. T O T A L</b>	<b>14 755</b>	<b>47 303</b>	<b>22 370</b>	<b>28 519</b>	<b>72 133</b>	<b>124</b>	<b>185 204</b>

(1) Seized Fish

CHART - TOTAL SALMON LANDINGS BY SPECIES IN THE TEN HIGHEST-PRODUCING AREAS OF BRITISH COLUMBIA - 1973


Scale: 1" = 2.5 million pounds



TOTAL SALMON LANDINGS BY SPECIES AND GEAR - PERCENTAGES - 1973

MILLIONS OF POUNDS - ROUND WEIGHT

SPECIES	Gillnet		Seine		Troll		Total Million Pounds
	Quantity	%	Quantity	%	Quantity	%	
Springs	2.7	16.2	1.3	7.8	12.7	76.0	16.7
Sockeye	33.7	71.1	12.7	26.8	1.0	2.1	47.4
Coho	3.9	15.7	4.6	18.6	16.3	65.7	24.8
Pinks	6.0	20.4	17.6	59.9	5.8	19.7	29.4
Chums	34.6	47.9	37.3	51.7	0.3	0.4	72.2
Steelhead	0.1	91.1	*	4.8	*	4.1	0.1
<u>T O T A L</u>	<u>81.0</u>	<u>42.5</u>	<u>73.5</u>	<u>38.6</u>	<u>36.1</u>	<u>18.9</u>	<u>190.6</u>



LANDINGS OF SALMON - BY SPECIES AND GEAR  
1964-1973

<u>G I L L N E T</u>										
<u>Springs</u>	<u>Sockeye</u>	<u>Coho</u>	<u>Pinks</u>	<u>Ghums</u>	<u>Total</u>	<u>Value</u>	<u>Deliveries</u>	<u>Catch Per Delivery</u>	<u>Value Per Delivery</u>	
'000 Pounds (Round)						<u>\$ 000</u>	<u>' 000</u>	<u>lb.</u>	<u>\$</u>	
1964	4 374	20 113	7 787	13 360	11 359	57 214	13 882	137	418	101
1965	2 984	14 438	9 024	7 100	3 761	37 424	10 179	110	340	93
1966	3 172	18 500	10 050	24 390	8 526	64 928	14 716	122	532	121
1967	3 936	24 239	5 554	10 444	7 598	52 002	14 648	126	413	116
1968	3 533	32 696	7 706	8 383	21 450	73 973	20 254	137	540	148
1969	2 592	19 096	3 546	5 169	8 706	39 241	12 186	98	400	124
1970	3 296	15 303	8 078	17 862	23 370	68 025	16 780	130	523	129
1971	3 029	22 130	5 487	9 936	8 060	48 806	15 308	106	460	144
1972	3 343	16 186	5 073	5 762	32 578	63 125	18 345	109	579	168
1973	2 655	33 677	3 959	5 995	34 623	81 022	40 288	109	743	369

<u>S E I N E</u>										
<u>Springs</u>	<u>Sockeye</u>	<u>Coho</u>	<u>Pinks</u>	<u>Ghums</u>	<u>Total</u>	<u>Value</u>	<u>Deliveries</u>	<u>Catch Per Delivery</u>	<u>Value Per Delivery</u>	
'000 Pounds (Round)						<u>\$ 000</u>	<u>' 000</u>	<u>lb.</u>	<u>\$</u>	
1964	495	2 649	3 418	21 283	12 450	40 906	5 967	12	3 359	497
1965	928	1 663	4 174	14 250	2 813	23 841	4 075	11	2 167	370
1966	753	6 859	4 292	45 247	6 787	63 949	10 084	13	4 919	776
1967	979	11 110	2 834	28 811	4 502	48 252	9 442	13	3 712	726
1968	866	7 471	3 100	42 061	14 964	68 470	11 008	15	4 565	734
1969	806	3 364	1 356	4 600	4 633	15 364	3 885	9	1 707	432
1970	1 250	7 234	4 687	29 784	13 253	56 213	11 492	16	3 513	718
1971	942	11 809	4 198	22 629	3 756	43 339	10 679	11	3 940	971
1972	1 012	4 540	2 262	31 170	33 866	72 868	14 587	15	4 858	972
1973	1 286	12 751	4 594	17 568	37 295	73 500	31 817	17	4 323	1 872

<u>T R O L L</u>										
<u>Springs</u>	<u>Sockeye</u>	<u>Coho</u>	<u>Pinks</u>	<u>Ghums</u>	<u>Total</u>	<u>Value</u>	<u>Deliveries</u>	<u>Catch Per Delivery</u>	<u>Value Per Delivery</u>	
'000 Pounds (Round)						<u>\$ 000</u>	<u>' 000</u>	<u>lb.</u>	<u>\$</u>	
1964	8 499	189	20 451	2 122	122	31 387	10 395	147	214	71
1965	8 757	120	23 482	1 583	83	34 029	11 710	142	240	82
1966	11 400	346	24 339	3 832	49	39 972	13 854	148	270	94
1967	10 441	1 723	14 130	12 388	42	38 731	11 911	148	262	80
1968	10 838	1 223	22 575	5 156	96	39 897	13 625	155	257	88
1969	10 826	1 078	12 716	4 058	58	28 742	11 729	139	201	85
1970	9 928	2 649	17 326	5 314	349	35 571	16 804	155	229	108
1971	15 213	4 263	21 389	6 301	132	47 301	18 489	156	303	119
1972	14 058	256	15 886	3 062	118	33 391	17 409	141	237	123
1973	12 718	1 029	16 249	5 829	253	36 084	27 893	132	273	211

NOTE: Totals include steelhead.

## LANDINGS OF SALMON BY SPECIES AND AREA

1964 - 1973QUEEN CHARLOTTE ISLANDS - (AREAS 1, 2E, 2W)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1964	64	13	533	348	797
1965	62	28	337	80	180
1966	85	19	525	1 843	211
1967	75	35	320	115	457
1968	74	53	530	1 684	661
1969	99	47	322	78	141
1970	109	60	417	1 259	590
1971	126	60	375	105	422
1972	115	72	465	1 370	455
1973	96	33	245	58	550

MASS, SKEENA, GRENVILLE & PRINCE - (AREAS 3, 4, 5)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1964	115	1 084	547	2 978	246
1965	111	565	454	1 177	103
1966	116	890	811	4 448	251
1967	145	1 543	219	995	167
1968	149	1 114	740	3 059	416
1969	115	786	177	721	107
1970	94	801	307	3 127	299
1971	114	1 112	274	1 392	141
1972	153	981	465	3 053	588
1973	123	1 900	209	983	356

BUTEDALE, BELLA BELLA, BELLA COOLA - (AREAS 6, 7, 8)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1964	96	472	616	5 151	865
1965	100	190	515	2 465	270
1966	90	208	519	7 031	735
1967	81	328	172	219	247
1968	82	308	600	9 706	1 009
1969	67	87	161	100	353
1970	107	253	537	6 195	1 440
1971	89	229	346	570	422
1972	152	257	594	8 090	1 342
1973	113	333	401	877	1 687

RIVERS AND SMITH INLETS - (AREAS 9, 10)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1964	15	1 305	80	271	69
1965	30	935	269	59	19
1966	20	701	169	330	25
1967	39	1 404	289	207	36
1968	26	3 187	184	1 261	91
1969	21	903	71	30	65
1970	15	102	72	263	155
1971	16	546	45	29	25
1972	28	439	74	842	61
1973	30	2 078	76	102	90

## LANDINGS OF SALMON BY SPECIES AND AREA

1964-1973 Continued

JOHNSTONE STRAIT - (AREAS 12, 13)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1964	64	168	497	854	126
1965	68	170	509	674	23
1966	111	742	1 093	3 439	46
1967	113	1 350	483	3 501	148
1968	97	459	627	3 696	649
1969	96	529	221	464	485
1970	90	1 054	348	2 341	753
1971	90	640	336	3 488	94
1972	78	558	133	730	1 362
1973	76	375	201	1 818	2 296

JUAN DE FUCA STRAIT - (AREA 20)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1964	21	34	316	1	37
1965	29	170	460	414	24
1966	29	697	572	6	27
1967	21	857	463	2 668	21
1968	22	57	401	1	27
1969	40	636	267	419	18
1970	115	845	481	10	26
1971	58	1 574	605	1 101	24
1972	42	546	166	6	202
1973	59	1 406	475	1 391	174

WEST COAST OF VANCOUVER ISLAND - (AREAS C, 21, 22, 23, 24, 25, 26, 27)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1964	345	62	1 219	18	47
1965	406	81	1 717	116	1
1966	526	120	1 453	153	2
1967	413	292	1 195	1 468	1
1968	433	187	1 966	205	4
1969	469	236	1 109	485	6
1970	411	348	1 393	312	137
1971	694	656	2 394	976	108
1972	623	147	1 167	59	1 485
1973	669	358	1 636	849	455

FRASER RIVER - (AREAS 28, 29 A & B, 29C, 29D)

(Thousands of Fish)

YEAR	SPRINGS	SOCKEYE	COHO	PINKS	CHUMS
1964	167	465	134	--	61
1965	93	866	43	110	12
1966	99	629	37	--	14
1967	124	878	34	533	47
1968	105	831	82	--	202
1969	87	957	23	255	89
1970	133	574	99	1	179
1971	140	1 317	70	626	22
1972	123	527	81	--	256
1973	100	1 063	54	284	191

B.C. SALMON LANDINGS BY MONTH 1969-1973  
000's Pounds

YEAR	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	TOTAL
<u>SPRINGS</u>													
1969	*	12	23	486	1 465	3 395	3 764	2 259	894	284	16	2	12 600
1970		44	35	617	1 597	2 925	3 558	2 793	1 032	364	23	1	12 989
1971		11	26	673	2 162	4 088	5 479	2 700	1 490	270	6	3	16 908
1972		7	20	465	2 191	4 201	4 647	2 736	1 348	673	19	2	16 309
1973		21	37	587	1 817	2 545	3 855	3 432	1 380	1 041	38	2	14 755
<u>SOCKEYE</u>													
1969					1	600	18 865	4 278	129	104	*		23 977
1970					1	564	7 367	14 341	1 377	1 136	3		24 789
1971					1	239	12 220	19 153	5 710	242			37 565
1972					1	284	9 655	10 571	337	95	*		20 943
1973					5	1 318	30 647	14 259	779	295			47 303
<u>COHO</u>													
1969						1 718	5 108	5 238	3 233	391	22	*	15 710
1970						2 629	8 032	6 863	8 481	1 455	38		27 498
1971						2 546	7 273	8 336	8 546	1 156	2	*	27 859
1972						1 153	6 830	7 440	4 195	1 130	96		20 844
1973						1 337	6 715	5 389	6 019	2 821	87	2	22 370
<u>PINKS</u>													
1969						41	2 375	5 545	4 907	349	2		13 219
1970				*	13	1 180	25 686	23 160	2 114	12	*		52 165
1971					*	70	1 504	14 756	20 675	918			37 923
1972				*	3	535	16 179	20 790	2 009	20	*		39 536
1973				*	*	69	3 540	11 734	12 294	879	3		28 519
<u>CHUMS</u>													
1969			*	*	1	70	1 002	1 841	4 208	4 712	1 551	4	13 389
1970				*	1	356	6 695	9 573	8 489	9 420	2 354	32	36 920
1971					*	86	1 234	2 468	4 290	3 821	18	11	11 928
1972				*	10	168	8 096	11 590	8 612	31 621	6 351	96	66 544
1973				*	3	165	3 972	11 337	16 334	34 028	5 704	590	72 133
<u>STEELHEAD</u>													
1969			1	3	2	16	53	45	12	7	2	*	141
1970			*	3	1	12	46	45	12	5	1	*	125
1971			1	2	2	8	53	76	30	4	*	*	176
1972			*	3	2	9	65	87	26	16	2	*	210
1973			*	2	1	6	42	52	13	8			124

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA

(Gillnet and Seine - Round Weight

Troll - Dressed Head-On)

SALMON

TOTAL B.C.

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
		Jan. 1- Jan. 27	Jan. 28- Feb. 24	Feb. 25- Mar. 24	Mar. 25- Apr. 28	Apr. 29- May 26	May 27- June 23	June 24- July 28	July 29- Aug. 25	Aug. 26- Sept. 22	Sept. 23- Oct. 27	Oct. 28- Nov. 24	Nov. 25- Dec. 31	TOTAL
		000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.
Spring Salmon	Red G.N.			1	19	67	307	543	402	128	77	9	*	1 553
	Seine						9	249	372	143	39	2		814
	Jacks G.N.			*	*	*	11	56	57	20	13	*	*	157
	Seine						5	155	131	87	34	1		413
	White G.N.			*	1	6	46	108	96	101	585	2	*	945
	Seine						1	30	8	15	5	*		59
Mixed Troll		21	36	567	1 744	2 166	2 714	2 366	886	288	24	2		10 814
Sockeye	G.N.					5	1 253	23 288	8 361	478	292			33 677
	Seine						60	6 963	5 513	214	1			12 751
	Troll					*	5	396	385	87	2			875
Coho	G.N.						27	387	945	1 544	978	76	2	3 959
	Seine						3	236	429	2 379	1 541	6		4 594
	Troll						1 307	6 092	4 015	2 096	302	5	*	13 817
Pinks	G.N.						1	1 034	2 856	1 396	708	*		5 995
	Seine						*	1 685	6 664	9 056	163			17 568
	Troll				*	*	68	821	2 214	1 842	8	3		4 956
Chums	G.N.					1	138	2 011	8 457	9 434	11 463	2 706	413	34 623
	Seine						19	1 928	2 812	6 814	22 547	2 998	177	37 295
	Troll				*	2	8	33	68	86	18	*		215
Steelhead	G.N.			*	2	1	6	36	50	11	7	*	*	113
	Seine						*	3	1	1	1	*		6
	Troll					*	*	3	1	1	*			5
Days Fishing	G.N.			33	547	1 267	6 593	33 586	27 256	16 977	17 371	4 273	679	108 582
	Seine						101	2 837	4 391	4 499	4 108	718	16	16 670
	Troll		337	479	5 129	16 413	23 359	32 217	30 700	19 253	4 122	407	46	132 462

\* Less than 500 lbs.

## REVISED CATCH STATISTICS BY AREA - IN PIECES - 1973

TOTAL B.C.

PERIOD	SPRING SALMON							SOCKEYE			COHO		
	RED		JACKS		WHITE		MIXED						
	GN	SEINE	GN	SEINE	GN	SEINE	TROLL	GN	SEINE	TROLL	GN	SEINE	TROLL
Jan. 1 - Jan. 27													
Jan. 28 - Feb. 24							2 192						
Feb. 25 - Mar. 24	54		8		7		4 320						
Mar. 25 - Apr. 28	1 414		6		82		70 506						
Apr. 29 - May 5	1 170		25		12		50 805						
May 6 - 12	852		3		40		52 067						
May 13 - 19	928		6		73		60 069	18					
May 20 - 26	1 069		32		135		41 190	960		3			
TOTAL	4 019		66		260		204 191	978		3			
May 27 - June 2	2 243	25	53	17	235	1	64 255	2 893	906	5			2
June 3 - 9	3 889	37	206	73	400		53 503	7 616	737	56			
June 10 - 16	3 073	183	256	376	442		47 327	22 619	1 798	245	14	1	20 695
June 17 - 23	6 718	431	1 667	799	817	61	47 661	184 617	9 135	763	5 540	810	271 203
TOTAL	15 923	676	2 182	1 265	1 894	62	212 746	217 745	11 916	1 069	5 554	811	291 900
June 24 - June 30	7 688	1 865	3 271	4 184	759	241	52 319	229 413	16 148	2 246	15 336	1 315	357 729
July 1 - 7	11 090	2 237	3 494	8 615	1 576	225	80 187	442 641	49 361	5 037	16 568	5 198	409 478
July 8 - 14	1 017	226	211	71	127	60	12 235	151 220	58 201	214	415	272	30 974
July 15 - 21	10 139	5 096	3 437	11 327	1 615	706	30 193	1 600 171	570 148	20 285	16 923	13 675	134 014
July 22 - 28	6 761	5 358	2 636	14 783	1 247	183	77 497	1 113 335	467 296	48 996	15 367	21 947	295 470
TOTAL	36 695	14 782	13 049	38 980	5 324	1 415	252 431	3 536 780	1 161 094	76 778	64 609	42 407	1 227 665
July 29 - Aug. 4	6 626	6 277	2 526	10 754	932	119	48 568	546 521	449 146	25 415	26 768	20 618	204 652
Aug. 5 - 11	8 617	5 655	3 513	11 290	1 691	130	64 458	556 973	229 487	16 723	30 582	20 276	144 287
Aug. 12 - 18	8 491	4 001	3 892	7 257	1 354	116	52 145	208 682	180 289	17 852	45 631	13 967	133 069
Aug. 19 - 25	5 447	3 785	2 658	5 408	1 260	41	49 643	72 173	104 492	11 879	23 115	13 342	151 375
TOTAL	29 181	19 718	12 589	34 709	5 237	406	214 820	1 384 349	963 414	71 869	126 096	68 203	633 383
Aug. 26 - Sept. 1	3 126	2 719	1 586	6 850	1 930	67	28 892	35 139	30 824	6 563	32 155	50 120	114 721
Sept. 2 - 8	2 641	1 875	1 550	7 420	2 948	48	18 721	25 325	5 479	5 466	43 255	57 287	60 460
Sept. 9 - 15	1 955	1 106	1 179	2 111	785	183	21 889	9 781	714	2 869	57 918	92 185	52 122
Sept. 16 - 22	1 333	935	908	3 484	764	287	23 576	7 887	852	409	38 897	94 019	63 395
TOTAL	9 055	6 635	5 223	19 865	6 427	585	93 078	78 132	37 869	15 307	172 225	293 611	290 698
Sept. 23 - Sept. 29	1 348	951	2 219	4 177	8 424	153	12 005	17 247	132	395	29 390	66 368	23 268
Sept. 30 - Oct. 6	1 766	1 110	622	2 993	12 688	26	9 540	19 033	120		37 779	64 602	10 535
Oct. 7 - 13	720	95	245	708	3 240	8	4 234	6 141	9		19 789	19 568	3 212
Oct. 14 - 20	432	108	66	351	120	6	5 649	11	1		8 400	4 388	1 296
Oct. 21 - 27	538	102	59	318	596	12	2 221	962	1		10 829	3 091	559
TOTAL	4 804	2 366	3 211	8 547	25 068	205	33 649	43 394	263	395	106 187	158 017	38 870
Oct. 28 - Nov. 24	865	206	76	298	196	3	2 662				8 706	755	585
Nov. 25 - Dec. 31	20		12		17		204				286		15
TOTAL	102 030	44 383	36 422	103 664	44 512	2 676	1 090 739	5 261 378	2 174 556	165 421	483 663	563 804	2 489 116

REVISED CATCH STATISTICS BY AREA - IN PIECES - 1973

PAGE: 19

TOTAL B.C.

PERIOD	PINKS			CHUMS			STEELHEAD			DAYS FISHING			
	GN	SEINE	TROLL	GN	SEINE	TROLL	GN	SEINE	TROLL	GN	SEINE	TROLL	
Jan. 1 - Jan. 27													
Jan. 28 - Feb. 24												337	
Feb. 25 - Mar. 24							40			33		479	
Mar. 25 - Apr. 28			5			46	155			547		5 129	
Apr. 29 - May 5						24	27			267		3 398	
May 6 - 12						34	23			284		3 790	
May 13 - 19			10	4		64	51			364		5 066	
May 20 - 26			7	62		77	43			352		4 159	
TOTAL			17	66		199	144			1 267		16 413	
May 27 - June 2			34	402		161	51	2		776	6	5 570	
June 3 - 9			17	399		149	70	2		1 165	13	5 374	
June 10 - 16			177	1 592		145	48	9		1 280	19	5 147	
June 17 - 23	133	10	18 736	8 026	1 663	401	549	2		79	40	7 268	
TOTAL	133	10	18 964	10 419	1 663	856	718	15		82	6 593	101	23 359
June 24 - June 30	757	190	21 129	20 108	3 786	522	890	39		102	4 953	164	7 584
July 1 - 7	1 687	2 049	60 995	25 046	6 016	723	715	45		120	7 241	450	10 419
July 8 - 14	2 161	2 411	2 836	4 554	2 859	83	142	10			486	28	728
July 15 - 21	84 299	147 878	29 525	55 951	71 744	290	1 191	54		38	11 232	1 079	4 794
July 22 - 28	168 653	350 028	106 640	48 636	54 630	1 588	883	99		68	10 274	1 116	8 692
TOTAL	257 557	502 556	221 125	154 295	139 035	3 206	3 821	247		328	33 586	2 837	32 217
July 29 - Aug. 4	215 590	505 764	74 433	114 750	96 689	727	1 406	55		31	7 950	1 429	7 367
Aug. 5 - 11	248 808	456 799	90 919	195 103	78 129	1 099	1 770	27		53	8 484	1 114	7 530
Aug. 12 - 18	149 561	282 441	132 064	263 266	33 232	1 098	901	44		30	6 302	953	7 593
Aug. 19 - 25	58 387	385 148	262 753	147 192	13 602	4 296	275	13		48	4 520	895	8 210
TOTAL	672 346	1 630 152	560 169	720 311	221 652	7 220	4 352	139		162	27 256	4 391	30 700
Aug. 26 - Sept. 1	82 273	792 244	279 151	252 307	81 075	4 225	384	18		41	5 060	1 314	6 992
Sept. 2 - 8	89 142	675 646	124 711	245 857	120 367	1 468	248	19		18	4 809	1 104	4 907
Sept. 9 - 15	49 027	259 313	23 776	189 529	164 434	1 982	129	4		9	3 560	1 084	3 880
Sept. 16 - 22	44 097	82 486	7 699	182 278	220 207	1 119	109	12		6	3 548	997	3 474
TOTAL	264 599	1 809 689	429 337	869 971	586 083	8 794	870	53		74	16 977	4 499	19 253
Sept. 23 - Sept. 29	69 098	9 629	1 081	268 116	313 406	929	111	19		5	4 417	915	1 880
Sept. 30 - 6	49 423	17 935	591	265 063	543 423	509	158	44		4	4 340	987	1 091
Oct. 7 - 13	4 639	1 694	40	169 031	288 698	130	120	18			3 233	743	561
Oct. 14 - 20	53	369	3	86 440	313 398	58	24	6			1 896	652	380
Oct. 21 - 27	373	4	1	230 200	482 973	316	42	2			3 485	811	210
TOTAL	123 586	29 631	1 716	1 018 853	1 941 898	1 942	455	89		9	17 371	4 108	4 122
Oct. 28 - Nov. 24	1		528	237 215	263 537	9	34	1			4 273	718	407
Nov. 25 - Dec. 31				35 259	15 914		19				679	16	46
TOTAL	1 318 162	3 972 038	1 231 861	3 046 389	3 169 782	22 272	10 608	544		660	108 582	16 670	132 462

## OTHER FISH

TOTAL B.C.

		JANUARY Jan. 1- Jan. 27	FEBRUARY Jan. 28- Feb. 24	MARCH Feb. 25- Mar. 24	APRIL Mar. 25- Apr. 28	MAY Apr. 29- May 26	JUNE May 27- June 23	JULY June 24- July 28	AUGUST July 29- Aug. 25	SEPTEMBER Aug. 26- Sept. 22	OCTOBER Sept. 23- Oct. 27	NOVEMBER Oct. 28- Nov. 24	DECEMBER Nov. 25- Dec. 31	TOTAL
		000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.
Herring	G.N.	10	250	10 889	2 105									13 254
	Selne	2 825	4 779	82 891	15 360	794	2 100	164	18	23		414	5	109 368
	Trawl		*									3	5	8
	Other													
Halibut lge.	L.L.				10	389	1 544	1 889	817	296	199	10	15	5 169
	Med.				19	1 106	2 994	2 374	958	354	219	3	9	8 096
	Chlx					1	1	*	*					2
	No. 2				2	40	120	171	65	37	17	*	4	456
Mixed	HIST.					195	197	250	166	1				809
Sole	Brill	2	2	6	3	19	163	202	209	147	216	30	3	1 002
	Butter			23								*		23
	Dover			*	1	3	74	251	473	157	150	98	11	1 218
	Lemon	44	OTHER 4 104	73	128	310	526	520	OTHER* 50	OTHER* 202	224	105	75	OTHER 4/ 2 361
	Rex	3	1	1	3		37	82	57	51	40	40	4	319
	Rock	OTHER 2/ 65	99	OTHER 1/ 70	160	373	402	127	OTHER 1/143	OTHER 31/181	77	48	39	OTHER 35/1 784
	Mixed					10	1				1			12
Total	OTHER 2/114	OTHER 4/206	OTHER 1/173	295	715	1 203	1 182	OTHER 1/932	OTHER 31/738	708	321	132	OTHER 39/6 719	
Red & Rock Cod	HIST.	1	3	8	11	32	39	21	19	15	9	4	*	162
	L.L.	7	5	37	21	39	53	31	5	*	6	1	*	205
	Trawl	5	37	82	91	434	521	156	149	105	623	165	37	2 405
	Other		*	*						2				2
Ling Cod	HIST.	3	1	34	148	227	237	194	165	59	61	25	9	1 163
	L.L.	4		17	13	71	55	30	9	3	2	1		205
	Trawl	5	105	15	115	193	381	397	327	187	135	37	8	1 905
	Other		1	*	*		*		*	3				4
Grey Cod	L.L.		*	*	3	1	2	*						6
	Trawl	343	2 619	1 027	799	2 214	1 722	1 352	1 194	938	506	211	301	13 226
	Other	2	11	*	2	4	2	3	*	13				37
Black Cod	L.L.	OTHER *	OTHER */ 31	OTHER */ *	25	OTHER */ 15	OTHER */ 34	OTHER 1/ 78	OTHER */ 13	OTHER *	OTHER *	3		OTHER 1/ 199
	Trawl	TRAP 13/ *	TRAP 115/4	TRAP 9/ 5	TRAP 134/ 1	TRAP 126/ 1	TRAP 442/16	TRAP 160/ 24	TRAP 97/ 11	39	17	13	8	TRAP 1096/ 139
Non-Food Fish	Trawl	6	60	117	62	OTHER */ 62	167	62	OTHER */ 28	35	OTHER */ 51	67	6	OTHER */ 723
Flounders	Trawl	5	9	13	OTHER */ 12	52	4	4	OTHER 1/ 3	13	14	3	OTHER 1/ 10	OTHER 2/ 142
Skate	Trawl	OTHER */ 5	OTHER */ 5	OTHER */ 7	19	OTHER */ 46	38	OTHER */ 15	OTHER */ 5	OTHER 1/ 29	16	4	4	OTHER 1/ 187

REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1973

PAGE: 21

TOTAL B.C.

OTHER FISH

		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL	
		Jan. 1- Jan. 27	Jan. 28- Feb. 24	Feb. 25- Mar. 24	Mar. 25- Apr. 28	Apr. 29- May 26	May 27- June 23	June 24- July 28	July 29- Aug. 25	Aug. 26- Sept. 22	Sept. 23- Oct. 27	Oct. 28- Nov. 24	Nov. 25- Dec. 31		
		000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	
Eulachons	G.N.				68	49								117	
Sturgeon	G.N.			*	10	5	7	4	3	2	2		*	33	
	Trawl		*	*	1	3	1	1			*	*		6	
	Other														
Ocean Perch	Trawl		2	83	881	415	208	445	280	166	214	498	184	3 376	
Perch	H.L.				*	*	1			1	1	*		3	
	Trawl		1		*	*								1	
	Beach Seine				5	4								9	
Tuna	Seine														
	H.L.							2	737	1 806	251	3		2 799	
Octopus	H.L.		*	*	*	*	*	*	*	*	1	*	*	1	
	Trap														
	Other	6	9	9	6	3	3	2	1	1	7	11	13	71	
Smelt	G.N.	*				3	2	1					1	7	
	Seine										1	*		1	
Turbot	Trawl	3	17	17	62	113	262	180	66	95	242	211	25	1 293	
	Big Eye	*		4			5	9			141	10	3	172	
Other Fish	HL & T							2	*					2	
	Trawl	1	9	3	13	27	26	26	11	14	21	14	16	181	
	Other	69	333	501	236	234	171	107	60	51	133	165	155	2 215	
Grey Fish	L.L.	5	OTH 152/1313	OTH 141/3414	OTH 189/ 529	OTH 2/ 8	93	50	55	OTH */ 58	407	215	219	OTH 484/ 6366	
	Trawl	16	1 837	1 799	402	3	32	13	*	1	56	262	284	4 705	
Salmon Roe							2	28	59	46	13	1		149	
Days Fishing	G.N.		32	11	174	94			2		1		1	315	
	Seine	2	21	13					3	21	4	4		68	
	HL&T.	12	17	200	456	657	535	460	866	1 484	506	149	35	5 377	
	L.L.	19	262	789	233	2 169	3 818	2 761	963	267	310	84	79	11 754	
	Trawl	153	401	411	309	375	469	327	161	163	270	207	164	3 410	
	Beach Seine				5	5								10	
	Trap	28	61	21	97	48	98	54	43	8	21	6	4	489	
	Herring GN	5	73	1 787	329								Trawl 1	Trawl 5	Trawl 6/2194
	Herring Seine	53	106	503	162	187	178	83	12	18		6		1 308	
	Other	15	25	10	32	40	34	2	8	23	47	32	53	321	

## REVISED MONTHLY CATCH STATISTICS FOR BRITISH COLUMBIA - 1973

TOTAL B.C.

## SHELLFISH

			JANUARY Jan. 1- Jan. 27	FEBRUARY Jan. 28- Feb. 24	MARCH Feb. 25- Mar. 24	APRIL Mar. 25- Apr. 28	MAY Apr. 29- May 26	JUNE May 27- June 23	JULY June 24- July 28	AUGUST July 29- Aug. 25	SEPTEMBER Aug. 26- Sept. 22	OCTOBER Sept. 23- Oct. 27	NOVEMBER Oct. 28- Nov. 24	DECEMBER Nov. 25- Dec. 31	TOTAL
			000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.	000's lb.
SHRIMP	Prawns	Trawl	2		*	*	*		4	2	*	*	1	*	9
		Traps	6	30	23	26	3	12	1	3	15	12	3	27	161
	Mixed	Trawl	4	73	89	84	108	219	271	313	185	49	119	13	1 527
		Traps	1			3	2	1			*	23	2	*	32
SHRIMP DAYS	Trawl	17	303	354	354	226	293	149	163	178	215	239	96	2 587	
	Traps	31	99	70	45	20	78	12	21	53	114	47	223	813	
GLAMS	Razor			11	52	65	22	7	7	2				166	
	Butter	83	85	79	152	188	46	3	*	2	2	2	13	655	
	Japanese Littleneck	1	17	19	55	57	86	41	5	11	7	*		299	
	Native Littleneck	23	31	32	103	106	78	41	8	18	3	3	9	455	
	Mixed	*												*	
ABALONE				8	21	9	9	4	29	15	29	13	9	10	150
ABALONE DAYS				8	44	42	15	19	71	60	91	50	21	26	447
CRABS Lb. in shell	Trawl	*	*	*	3	1	2				*	4	1	11	
	Traps	62	97	64	236	301	437	293	257	156	400	148	118	2 569	
CRAB DAYS		Traps	272	393	285	609	TRAWL 1/ 712	919	787	542	414	659	TRAWL 1/ 499	TRAWL 2/355	TRAWL 4/6986
OYSTERS Shucked - U.S. Gal.			10 978	10 708	10 739	13 866	15 098	12 761	9 776	6 061	6 544	10 993	12 273	11 852	131 649

\* Less than 500 lbs.